SDS # AI-028

Pen: Vball Retractable

Applicable Items

Product name: V BALL RT SDS No.:AI-028

SAFETY DATA SHEET

Date of Issue

September 1, 2017

SDS No.

:AI-028

Version

:001



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name

: V BALL RT

Product code

: BLRT-VB5-BL-B(A)/R(A)/L(A)/G(A)

BLRT-VB7-BL-B(A)/R(A)/L(A)/G(A)

BLRT VB7-NPBL-B/R/L-A

Mixture name

: VBRT·B/R/L/G

1.2. Use of the mixture

: Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture

/supplier

: PILOT Corporation

Address

: 6.21, Kyobashi 2-chome, Chuo-ku, Tokyo, 104-8304, Japan

Telephone number

: 03-3538-3700

Working hours (from 09.00am to 05.30pm)

Facsimile number

: 03-3538-3909

E-mail address

: international@pilot.co.jp

2. HAZARDS IDENTIFICATION

2.1. GHS Classification of the substance or mixture

Health hazards

Skin corrosion/irritation

: Category 2 (VBRT-B/R)

Eye damage/irritation

: Category 2 (VBRT-B/R/L)

Sensitization - skin

: Category 1

2.2. GHS label elements

Hazard pictograms

 \bigcirc

Signal word

: Warning

Hazard statements

H315

: Causes skin irritation (VBRT·B/R)

H319

: Causes serious eye irritation (VBRT-B/R/L)

H317

: May cause an allergic skin reaction

Precautionary statements

Prevention

P280

· Wear protective gloves.

: Wear eye protection/face protection. (VBRT-B/R/L)

P264

: Wash hands and face thoroughly after handling. (VBRTB/R/L)

P261

Avoid breathing mist/vapours.

Product name: V BALL RT SDS No.:AI-028 Page 2/5

> P272 : Contaminated work clothing should not be allowed out of the

> > workplace.

Response

P302+P352 : IF ON SKIN: Wash with plenty of water and soap.

P333+P313 : If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 : Take off contaminated clothing and wash it before reuse.

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

ringing, (VBRT·B/R/L)

P337+P313 : If eye irritation persists: Get medical advice/attention.

(VBRT-B/R/L)

Disposal

P501 : Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3. Other hazards : None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture

: Mixture

Ingredients and composition

Ingredients	CAS Number	Weight %	Component
Triethanolamine	102-71-6	1.0~1.6%	All Colors
2-Pyrrolidone	616-45-5	3.0~4.0 %	All Colors
Surfactant	Non public	0.30~2.8 %	All Colors
Additive	Non public	4.3 %	Blue

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion

: Refer for medical attention.

Skin contact

: Wash the affected area under tepid running water using a mild soap.

And refer for medical attention if irritation continues.

Eye contact

: Gently rinse the affected eyes with clean water for at least 15 minutes.

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

4.2. Most important symptoms and effects, both acute and delayed

Ink contact with skin may cause irritation, swelling or redness.

4.3. Indication of any immediate medical attention and special treatment needed In case of skin or eye contamination treat as under First Aid Measures.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media

: Not classed as flammable.

In case of fire, use water spray, foam, dry, chemical powder or carbon dioxide.

- 5.2. Specifc hazards arising from the substance or mixture
 - : CO2, CO, NOx, and SOx, is produced after combustion.
- 5.3. Special protective equipment and precautions for fire-fighters
 - : None

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures
 - : Use proper ventilation. Use eye and skin protection.
- 6.2. Environmental precautions
 - Do not dispose of waste to the sewer.
- 6.3. Methods and material for containment and cleaning up
 - : Absorb spill with material (cloth or paper), then place in a chemical waste containers.

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
 - : Avoid rough handling or dropping.

Wear protective gloves/protective clothing/eye protection/face protection.

- 7.2. Conditions for safe storage, including any incompatibilities
 - : Store in a dry, cool, well-ventilated location.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

0	Threshold limit values	
Component	ACGIH	
Triethanolamine	TLV-TWA 5 mg/m³	

- 8.2. Appropriate engineering controls
 - : No special controls are needed.
- 8.3. Individual protection measures, such as personal protective equipment.
 - : Wear protective gloves/protective clothing/eye protection/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSI	CAL AND CHEMICAL PROPER	TIES		
9.1. Information on basic physical and chemical properties				
(a)	Appearance	: Liquid		
		[Color] Black, Red, Blue, Green		
(b)	Odor	: Slight characteristic		
(c)	Odor threshold	: No data		
(d)	рH	: 7.9-9.1		
(e)	Melting point/freezing point	: No data		
(f)	Initial boiling point/boiling range	: About 100 degrees Celsius		
(a)	Fleeh noint	: Roils without flashing		

(g) Flash point : Boils without flashing
(h) Evaporation rate : No data
(i) Flammability (solid, gas) : None

(h) Evaporation rate : No data
 (i) Flammability (solid, gas) : None
 (j) Upper/lower flammability or : No data explosive limits

(k) Vapor pressure : No data

Product name: V BALL RT SDS No.:AI-028 Page 4/5

(1): No data Vapor density

Relative density : 1.04-1.08 (at 20 degrees Celsius)

(n) Solubility : Not applicable (o)

Partition coefficient: : Not available

n-octanol/water

(p) Auto-ignition temperature : No data : No data (q) Decomposition temperature

:8.0.27 mPa·s (at 20 degrees Celsius) (r) Viscosity

9.2. Other information : None

10. STABILITY AND REACTIVITY

This material is stable. 10.1. Reactivity : This material is stable. 10.2. Chemical stability

: This material is stable. 10.3. Possibility of hazardous reactions : This material is stable. 10.4. Conditions to avoid

: Strong oxidizing agents and reducing agents. 10.5. Incompatible materials

10.6. Hazardous decomposition products : No data

11. TOXICOLOGICAL INFORMATION

There is no data available on the mixture itself.

Information on toxicological effects

Eye damage/irritation

Skin corrosion/irritation Surfactant Category 1

> : Triethanolamine : Category 2 : Additive : Category 2 Surfactant Category 1

: Triethanolamine Category 2 : 2.Pyrrolidone Category 2

: Additive : Category 2

Sensitization skin : Triethanolamine Category 1

12. ECOLOGICAL INFORMATION

There is no data available on the mixture itself.

12.1. Ecotoxicity

12.1.1. Hazardous to the aquatic environment, Surfactant : Category 3

short-term (acute) : 2-Pyrrolidone : Category 3

12.1.2. Hazardous to the aquatic environment, : Surfactant : Category 3

long-term (chronic)

: No data available 12.2. Persistence and degradability 12.3. Bioaccumulative potential : No data available

: No data available 12.4. Mobility in soil

12.5. Other adverse effects : None

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

· Follow all regulations in your country.

Product name: V BALL RT SDS No.:AI-028 Page 5/5

14. TRANSPORT INFORMATION

14.1. UN number: Not applicable14.2. UN proper shipping name: Not applicable14.3. Transport hazard class(es): Not applicable14.4. Packing group: Not applicable

14.5. Environmental hazards : Not applicable

14.6. Transport in bulk according to Annex II : Not applicable of MARPOL 73/78 and the IBC Code

14.7. Special precautions for user : None

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture • Follow all regulations in your country.

16. OTHER INFORMATION

International GHS conformity.

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS