



## Legislation Details (With Text)

**File #:** 2021-1329 **Version:** 1

**Type:** Resolution **Status:** Passed Finally

**File created:** 3/19/2021 **In control:** Committee on Intergovernmental Affairs

**On agenda:** 3/23/2021 **Final action:** 4/6/2021

**Enactment date:** 4/6/2021 **Enactment #:** 236

**Effective date:** 4/8/2021

**Title:** Resolution adopting Plan Revision to the City of Pittsburgh's Official Sewage Facilities Plan for the 3500 Forbes Avenue, Pittsburgh, PA 15213.

**Sponsors:**

**Indexes:** SEWAGE FACILITIES PLAN

**Code sections:**

**Attachments:** 1. 2021-1329 Cover Ltr Sewer Module Cover Letter - 3500 Forbes Ave, 2. 2021-1329 2021-03-09 SFPM Compiled - 3500 Forbes Ave, 3. 2021-1329 Sewer Module Questionnaire for Council - 3500 Forbes Ave (2), 4. Summary 2021-1329

| Date      | Ver. | Action By           | Action                    | Result |
|-----------|------|---------------------|---------------------------|--------|
| 4/8/2021  | 1    | Mayor               | Signed by the Mayor       |        |
| 4/6/2021  | 1    | City Council        | Passed Finally            | Pass   |
| 3/31/2021 | 1    | Standing Committees | Affirmatively Recommended | Pass   |
| 3/23/2021 | 1    | City Council        | Read and referred         |        |

Resolution adopting Plan Revision to the City of Pittsburgh's Official Sewage Facilities Plan for the 3500 Forbes Avenue, Pittsburgh, PA 15213.

**WHEREAS**, SECTION 5 of the Act of January 24, 1966, P.L. 1535, No. 537, known as the "Pennsylvania Sewage Facilities Act," as amended, and the rules and regulations of the Pennsylvania Department of Environmental Protection (the "Department") adopted thereunder, Chapter 71 of Title 25 of the Pennsylvania Code, requires the City of Pittsburgh to adopt an Official Sewage Facilities Plan (the "Official Plan") providing for sewage services adequate to prevent contamination of waters of the Commonwealth and/or environmental health hazards from sewage wastes, and to revise said plan whenever it is necessary to determine whether a proposed method of sewage disposal for a new development conforms to a comprehensive program of pollution control and water quality management; and

**WHEREAS**, CA Ventures has proposed the development of a certain parcel of land located at 3500 Forbes Avenue, Pittsburgh, PA 15213, Allegheny County, at lot and block 28-F-322, 28-F-330, 28-F-360, 28-F-354, 28-F-356 in the 4th Ward of the City of Pittsburgh and described in the attached Sewage Facilities Planning Module (the "Planning Module") for land development and proposes that project be served by a sewer tap-in to the City of Pittsburgh sewage systems; and

**WHEREAS**, the Pittsburgh Water Sewer Authority, the Allegheny County Sanitary Authority, the City of Pittsburgh Planning Department and the Allegheny County Health Department have reviewed the respective components of the attached Planning Module in regard to each authority/department's expertise and have

approved the respective components as explained in the attached Planning Module.

**WHEREAS**, based upon the approval of the above authorities and departments, the City of Pittsburgh finds that the project described in the attached Planning Module for land development conforms to applicable zoning, subdivision, other municipal ordinances and plans, and to a comprehensive program of pollution control and water quality management.

**Be it resolved by the Council of the City of Pittsburgh as follows:**

**Section 1.** The City of Pittsburgh hereby adopts as a Plan Revision to the City of Pittsburgh's Official Sewage Facilities Plan the above-referenced Planning Module for land development, which is attached hereto as **Exhibit A**.

Said Planning Module includes the 3500 Forbes Avenue, 3500 Forbes Avenue, Pittsburgh, PA 15213, Allegheny County, at lot and block 28-F-322, 28-F-330, 28-F-360, 28-F-354, 28-F-356 in the 4th Ward of the City of Pittsburgh.

Finally, that any Ordinance or Resolution or part thereof conflicting with the provisions of this Resolution, is hereby repealed so far as the same affects this Resolution.