

Health and environmental benefits of implementing the emission standards for coal-based TPPs

Greenpeace India,
Lauri Myllyvirta and Sunil Dahiya

7th December 2018

Based on calculations done using emission data obtained by Greenpeace India from the CPCB under RTI, more than 76,000 people died due to non-implementation of emission standard notification within stipulated time frame (before 7th December 2017) till now during last 1 year.

In 2012, University of Maryland and University of Texas assessed premature deaths resulting from SO₂, NO_x and PM emissions from 89 coal-based TPP sites across India (Cropper et al 2012). The mean values of deaths per tonne of emissions of each pollutant can be used as the basis for an indicative estimate of the health benefits of implementing the TPP emission standards – or conversely the health costs of delaying implementation.

It is notable that the statistical methodology of Cropper et al results in a lower estimate of total health impacts than the estimate of 80,000-115,000 deaths obtained through more detailed atmospheric modeling carried out by Guttikunda & Jawahar (2014), making the estimates conservative.

Furthermore, the total volume of SO₂, NO_x and dust emissions reported by the CPCB is more than three times as high as the emissions volume estimated by Guttikunda & Jawahar, a difference that is only very partially explained by different base years: G&J emissions estimates are for 2010-11 while CPCB data is presumably more recent. This implies that the health impacts of coal-based thermal power plants are likely even much more severe than estimated by the authors. Similarly, the mercury emissions from thermal power plants reported by CPCB are more than four times as high as the emissions estimated by UNEP (2013, p. 216) for the year 2010.

Information obtained through an RTI request from CPCB indicates that the full implementation of the TPP emissions standard would reduce SO₂, NO_x and PM emissions by 48%, 48% and 40%, respectively. The total emissions from the sector reported by CPCB are shown in Table 1.

Combining the data from the CPCB and from Cropper et al, results in an estimate that full implementation of the TPP emission standards would avoid approximately 76,000 premature deaths from air pollution exposure every year (90% confidence interval: 52,000 to 96,000). Of this, 34,000 avoided deaths per year (44%) is due to the reduction in SO₂ emissions, 28,000 deaths (36%) due to reduction in NO_x emissions and 34,000 deaths (44%) due to reduction in PM emissions.

In other words, a 5-year delay to the implementation of the standards results in an estimated 380,000 avoidable deaths, not taking into account increase in coal-based power generation over that period. A delay of five years in the implementation of the NO_x limits alone results in a projected 140,000 avoidable deaths.

Additionally, 8.7 gigawatts of coal-based capacity has been commissioned in 2017-18 (Global Coal Plant Tracker July 2018) and at least 70¹ GW is still under construction (CEA, Sept 2018). If this capacity is not required to comply with the new TPP emission standards, SO₂, NO_x and mercury emissions per gigawatt of capacity can be expected to be similar to recently commissioned existing plants – the emissions rates for these plants in the absence of new standards are projected from emissions data obtained through an RTI request for seven NTPC coal-based units commissioned in 2012-2016. For PM emissions, new plants have already been required to comply with the 30 mg/Nm³ limit of the new standards and hence further reductions are not expected. On this basis, we can project that compliance with the new standards will reduce SO₂ and NO_x emissions from new plants by approximately 89% and 79%, respectively. A 60% reduction in mercury emissions is assumed from the installation of Flue Gas Desulfurization and Selective Catalytic Reduction devices, in line with CPCB projection for existing plants.

Similarly to the calculation for existing capacity, these emission reductions will result in a projected 27,000 avoided deaths from air pollution exposure every year, compared with a situation in which all the plants come online and new emission standards are not enforced (90% CI: 18,000 to 34,000). Out of this total, 15,000 avoided deaths per year are due to reduction in SO₂ emissions, 12,000 due to reduction in NO_x emissions, and 1,000 due to reduction in PM emissions.

The projected reduction in mercury emissions from the power sector is enormous, approximately 180 tonnes per year. Given that India's mercury emissions from all other sources except coal combustion in thermal power plants were estimated at 95 tonnes per year in 2010 (UNEP 2013, p.216), the implementation of the TPP emission standards could reduce total national emissions by approximately 40%, even allowing for growth in emissions from other sectors. In absolute terms, the reduction is equal to three times the total mercury emissions of the United States². Implementing the TPP emission standards would highly likely be the largest contribution to reducing mercury emissions to air anywhere in the world since China started implementing similar standards around 2005.

Table 1: Emissions data given by CPCB for existing plants

Pollutant	Current Emissions	Reductions from implementing standards	Emissions Estimates used by Guttikunda & Jawahar (2014)	Emissions Estimated by UNEP (2013)	unit
SO ₂	7.00	-48%	2.10	-	Mt/yr
NO _x	6.46	-48%	1.99	-	Mt/yr
PM	5.43	-40%	1.21 ²³	-	Mt/yr
Hg	216600	-60%	-	49500	kg/yr

¹ http://www.cea.nic.in/reports/monthly/broadstatus/2018/broad_status-08.pdf

² The United States' mercury emissions were estimated at 56 tonnes in 2010 (UNEP 2013), resulting almost solely from coal combustion, which has fallen by more than 30% from 2010 to 2016.

³ PM₁₀ emissions; total dust emissions not given but likely to be 50-100% higher.

Table 2: Avoided deaths from implementation of new TPP standards for existing coal-based plants

Pollutant	Emission reduction (Mt/yr)	Deaths per ton of emission			Avoided deaths per year		
		Mean	5th percentile	95th percentile	Best estimate	5th percentile	95th percentile
SO2	-3.36	0.010	0.007	0.012	33600	23520	40320
NOx	-3.10	0.009	0.006	0.012	27907	18605	37210
PM2.5 ⁴	-0.65	0.023	0.015	0.029	14987	9774	18896
Total					76494	51899	96426

Table 3: Estimated emissions from coal-based TPPs newly commissioned and under construction, and projected emissions reductions resulting from implementing the new emissions standards

Pollutant	Baseline emissions	Current typical emissions value	Standard (mg/Nm3)	Emission reduction from implementing new standard		
				%	volume	unit
SO2	1.74	896	100	-89%	-1.55	Mt/yr
NOx	1.61	483	100	-79%	-1.27	Mt/yr
PM2.5	0.08	30	30	0%	0.00	Mt/yr

Table 4: Avoided deaths from implementation of new TPP standards for new coal-based plants

Pollutant	Avoided deaths per year		
	Best estimate	5th percentile	95th percentile
SO2	15465	10826	18558
NOx	11463	7642	15284
Total	26928	18468	33843

⁴ To estimate PM2.5 emissions from total dust emissions, a ratio of 24:80 was used, based on U.S. EPA (1996).

Table 5: Reduction in mercury emissions from existing and new TPPs as co-benefit of implementing the emissions standards for major air pollutants

Category	Capacity (GW)	Baseline emissions (kg/yr)	Emission reduction from implementing new standard	
			%	kg/yr
Plants operated by 2016	209.5	216600	-60%	-129960
Newly commissioned and under construction plants	83.7	86547	-60%	-51928
Total	293.2	303147		-181888

References

- CEA 2018: Monthly Executive Summaries of Power Sector. <http://www.cea.nic.in/monthlyexesummary.html>
- Cropper et al 2012: The Health Effects of Coal Electricity Generation in India. Discussion paper. Resources for the Future. <http://www.rff.org/files/sharepoint/WorkImages/Download/RF-12-25.pdf>
- Global Coal Plant Tracker July 2018 <https://endcoal.org/global-coal-plant-tracker/>
- Guttikunda & Jawahar 2014: Atmospheric emissions and pollution from the coal-fired thermal power plants in India. Atmospheric Environment 92:449-460. <http://dx.doi.org/10.1016/j.atmosenv.2014.04.057>
- UNEP 2013: Technical Background Report for the Global Mercury Assessment 2013. <https://www.amap.no/documents/download/1265>
- U.S. EPA 1996: Compilation of air pollutant emission factors, AP-42, fifth edition, volume I: Stationary point and area source, Appendix B2, generalized particle size distributions. <http://www.epa.gov/ttn/chief/ap42/appendix/appb-2.pdf>