
Type 2 diabetes in E Asia (10 SNPs)
vs. genomic alleles (p=0.01)
vs. disease risk alleles (p=0.01)
Obesity in E Asia (10 SNPs)
vs. genomic alleles (p=0.29)
vs. disease risk alleles (p=0.32)
Type 1 diabetes in E Asia (13 SNPs)
vs. genomic alleles (p=0.43)
vs. disease risk alleles (p=0.43)
Psoriasis in E Asia (8 SNPs)
vs. genomic alleles (p=0.52)
vs. disease risk alleles (p=0.55)
Prostate cancer in E Asia (13 SNPs)
vs. genomic alleles (p=0.43)
vs. disease risk alleles (p=0.44)
Celiac disease in E Asia (13 SNPs)
vs. genomic alleles (p=0.59)
vs. disease risk alleles (p=0.58)
Breast cancer in E Asia (5 SNPs)
vs. genomic alleles (p=0.96)
vs. disease risk alleles (p=0.95)
Crohn's disease in E Asia (22 SNPs)
vs. genomic alleles (p=0.99)
vs. disease risk alleles (p=0.99)
Multiple sclerosis in E Asia (7 SNPs)
vs. genomic alleles (p=0.64)
vs. disease risk alleles (p=0.68)
Ulcerative colitis in E Asia (9 SNPs)
vs. genomic alleles (p=0.61)
vs. disease risk alleles (p=0.60)
Rheumatoid arthritis in E Asia (12 SNPs)
vs. genomic alleles (p=0.49)
vs. disease risk alleles (p=0.54)
SLE in E Asia (14 SNPs)
vs. genomic alleles (p=0.07)
vs. disease risk alleles (p=0.07)
0
2
4
6
8
12
−0.4
−0.2
0.0
0.2
0.4