



Correction

Correction: Rocky Intertidal Zonation Pattern in Antofagasta, Chile: Invasive Species and Shellfish Gathering

The *PLOS ONE* Staff

Figure 4 is erroneously shown in black and white. The authors have provided a corrected, color version here.

Citation: The *PLOS ONE* Staff (2014) Correction: Rocky Intertidal Zonation Pattern in Antofagasta, Chile: Invasive Species and Shellfish Gathering. *PLoS ONE* 9(11): e113016. doi:10.1371/journal.pone.0113016

Published: November 3, 2014

Copyright: © 2014 The *PLOS ONE* Staff. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Figure 4. Temporal series of mean intertidal band width (m; SE) of the tunicate *Pyura praeputialis* (black circle) and the mussel *Perumytilus purpuratus* (white circle) in the bay of Antofagasta between April 2003 and February 2014 for a site at AAA (a) and a site at El Way (b) and between February 1999 and February 2014 for El Lenguado (c). For further details see text.
doi:10.1371/journal.pone.0110301.g001

Reference

1. Castilla JC, Manríquez PH, Delgado A, Ortiz V, Jara ME, et al. (2014) Rocky Intertidal Zonation Pattern in Antofagasta, Chile: Invasive Species and Shellfish Gathering. PLoS ONE 9(10): e110301. doi:10.1371/journal.pone.0110301