



<i>Hydrolea spinosa</i> L.	0.37	-	2.40	0.31	-	-	-
<i>Hyptis</i> sp.	-	-	6.25	0.94	-	-	-
<i>Hyptis</i> sp. 2	4.44	0.85	10.58	0.63	-	-	-
<i>Hyptis</i> sp. 3	0.74	-	-	-	-	-	-
<i>Kyllingia</i> sp.	-	-	-	-	-	-	-
<i>Lantana</i> sp.	-	0.85	-	-	-	-	-
<i>Leersia hexandra</i> Sw.	41.48	-	25.00	2.19	-	-	0.33
<i>Limnocharis</i> sp.	-	-	0.48	-	-	-	-
<i>Lindernia diffusa</i> (L.) Wettst.	-	-	0.48	0.63	-	-	-
<i>Ludwigia peploides</i> (Kunth) P.H. Raven	1.11	-	1.92	0.31	-	-	-
<i>Ludwigia</i> sp. 1	0.37	-	-	-	-	-	-
<i>Ludwigia</i> sp. 2	0.37	-	-	-	-	-	-
<i>Lycopodiella</i> cf. <i>cernua</i> (L.) Pic. Serm.	0.74	13.98	7.21	15.67	-	-	-
<i>Mabea occidentalis</i> Benth.	-	-	-	-	-	3.85	-
<i>Marsilea minuta</i> L.	-	-	0.48	-	-	-	-
<i>Mayaca</i> sp.	-	-	1.92	-	-	-	-
<i>Melochia</i> sp.	-	-	0.96	0.31	-	-	-
<i>Melochia villosa</i> (Mill.) Fawc. & Rendle	2.22	2.97	0.48	0.94	-	-	-
<i>Miconia</i> sp. 1	-	-	-	0.31	-	5.13	-
<i>Mimosa pudica</i> L.	0.37	7.63	1.92	1.25	-	-	0.33
Morphospecies 1	-	0.42	-	2.82	-	-	-
Morphospecies 2	-	-	-	0.63	-	-	-
Morphospecies 3	1.85	6.36	5.29	0.94	-	-	-
Morphospecies 4	-	-	1.92	2.82	-	-	-
Morphospecies 5	-	-	-	-	-	-	1.32
Morphospecies 6	4.81	2.97	-	-	-	-	-
Morphospecies 7	-	0.42	-	-	-	-	-
Morphospecies 8	-	0.42	-	-	-	-	-
<i>Nymphaea</i> cf. <i>blanda</i> Planch.	10.00	-	5.77	-	-	-	-
<i>Nymphoides indica</i> (L.) Kuntze	-	-	-	-	34.21	-	-
<i>Oldenlandia</i> sp.	-	-	1.44	-	-	-	-
<i>Orthopappus</i> sp.	-	0.42	-	1.25	-	-	-
<i>Paspalum</i> sp.	-	-	-	-	-	-	66.23
<i>Paspalum</i> sp. 1	-	-	-	0.63	-	-	-
<i>Paspalum</i> sp. 2	-	-	-	0.63	-	-	-
<i>Phyllanthus stipulatus</i> (Raf.) G.L. Webster	1.48	1.27	3.37	0.94	-	-	-

<i>Pontederia rotundifolia</i> L. f.	4.07	-	2.40	-	-	-	-
<i>Psidium</i> cf. <i>guianense</i> Pers.	-	-	-	6.27	-	-	-
<i>Rhynchanthera</i> <i>grandiflora</i> (Aubl.) DC.	-	-	0.48	2.51	-	-	-
<i>Rhynchospora nervosa</i> (Vahl) Boeckeler	-	-	-	-	-	-	13.58
<i>Rynchospora</i> <i>cephalotes</i> (L.) Vahl	-	-	-	-	-	84.61	-
<i>Sabicea</i> cf. <i>villosa</i> Schult.	-	7.20	-	1.57	-	-	-
<i>Sagittaria</i> sp.	-	-	1.44	-	-	-	-
<i>Sipanea pratensis</i> Aubl.	-	0.42	0.48	3.13	-	-	-
<i>Sipanea</i> sp.	0.74	-	1.44	1.25	-	-	-
<i>Tonina fluviatilis</i> Aubl.	-	0.42	0.96	0.94	-	-	-
<i>Utricularia radiata</i> Small	-	-	-	-	65.79	-	-
<i>Utricularia</i> sp.	-	-	2.40	-	-	-	-
<i>Utricularia</i> sp. 1	3.70	-	-	-	-	-	-
<i>Utricularia</i> sp. 2	3.33	-	-	-	-	-	-
<i>Vernonia</i> sp.	-	0.85	-	-	-	-	-
<i>Zanthoxylum</i> sp.	-	0.85	-	-	-	-	-

Table S2. Plant species encountered during the wet season in the point-intersect line transects in Sites 1, 2, 3 and 5, and their contribution to the percentage of cover abundance in *surales* mound and inter-mound habitats.