



# WATERFOREST

noken PORCELANOSA BATHROOMS



*Morethan*Water





HAUS REALTY  
ORIGINAL  
SMALL SPACE  
SPECIALISTS  
PRELIM OFFICES  
100-2500 sq ft  
685-414

300 CANAL STREET  
UNIT 1000  
1000

PORCELANOSA

two  
zero  
four  
fifth

7651655

# NOKEN PORCELANOSA BATHROOMS

## OUR HISTORY · NUESTRA HISTORIA

We specialise in bathroom equipment, always paying loving attention to every little detail. We focus our efforts on design, quality, a commitment to sustainability, and excellent customer service, exporting our bathroom products to more than 110 countries.

In production, we understand everything about the elements we work with, right from their origins. This is another of our guiding maxims. Meticulously-produced pieces that evoke their artisan roots, in spite of being produced in large volumes.

Somos una compañía especializada en equipamiento de baños que apuesta siempre por el mimo y cuidado de cada detalle. Nuestros esfuerzos están puestos en diseño, calidad, compromiso con la sostenibilidad, así como el excelente servicio a nuestros clientes exportando productos de baño a más de 110 países.

La producción, entendiendo cada elemento desde el origen es otra de nuestras máximas. Piezas hechas con sumo cuidado que rememoran lo artesanal a pesar de los grandes volúmenes de fabricación.

## WE ARE PORCELANOSA · SOMOS PORCELANOSA

Noken is a Porcelanosa Group company.

Porcelanosa was founded over 50 years ago in a small village by the Mediterranean Sea in Castellon, Spain. Since then, they have been providing architectural and design solutions to consumers and the A&D community with unparalleled innovation, quality, and service. The family who originally founded Porcelanosa back in 1973 still runs it today under the same core values of work ethics and integrity.

Porcelanosa has experienced incredible growth over the years and today their global presence extends to over 140 countries through more than 400 company owned showrooms, distribution centers and an extensive network of independent distributors and retailers. Porcelanosa's unique distribution method allows them to bring you the latest in European design well ahead of independent distributors.

Noken es una empresa del Grupo Porcelanosa.

Porcelanosa fue fundada hace más de 50 años en un pequeño pueblo junto al mar Mediterráneo en Castellón, España. Desde entonces, han estado brindando soluciones arquitectónicas y de diseño a los consumidores y a la comunidad de A&D con una innovación, calidad y servicio incomparables. La familia que originalmente fundó Porcelanosa en 1973 todavía dirige hoy la empresa bajo los mismos valores fundamentales de ética e integridad en el trabajo.

Porcelanosa ha experimentado un crecimiento increíble a lo largo de los años y hoy su presencia global se extiende a más de 140 países a través de más de 400 salas de exhibición, centros de distribución y una extensa red de distribuidores y minoristas independientes. El método de distribución único de Porcelanosa les permite ofrecerle lo último en diseño europeo muy por delante de los distribuidores independientes.



SIMONE MICHELI

LOUNGE



DAME ZAHA HADID



Foster + Partners

SIR NORMAN FOSTER

TONO



RAMÓN ESTEVE

LIGNAGE



ERRE ARCHITECTURA





## DESIGN & ARCHITECTURE



### FLEXIBLE DESIGN · DISEÑO FLEXIBLE

Noken constantly researches new advances in the creation and development of new technologies, updating and adapting to the needs of our advocates' projects

Noken investiga nuevos desarrollos para la creación y aplicación de nuevas tecnologías actualizándose constantemente y adaptándose a los proyectos de nuestros prescriptores



### R&D&I · I+D+I

The R&D+i Department works with leading architects and highly complex designs, creating bathroom concepts that are ahead of their time.

El Departamento de I+D+I trabaja con arquitectos de primera línea y diseños de gran complejidad creando conceptos del baño adelantados a su tiempo.



### DESIGN FOR THE EXPERIENCE · DISEÑO PARA LA EXPERIENCIA

In recent years, bathrooms have moved away from being essentially practical spaces, becoming prime locations for our emotional wellbeing. New bathroom equipment solutions are inviting us to discover a new, revitalised space, designed for us to take care of ourselves and make the most of the time we spend there

En los últimos años, el baño ha dejado de ser un espacio esencialmente práctico para convertirse en una estancia protagonista para nuestro bienestar emocional. Nuevas soluciones en equipamiento nos invitan redescubrir un nuevo espacio revitalizado, diseñado para cuidar de nosotros mismos y optimizar mejor el tiempo que pasamos en él



### NOKEN PRODUCTION CYCLE · CICLO PRODUCTIVO NOKEN

Noken cares for the product, from the raw material to the end of its service life, through the development, production, or customer satisfaction among other things..

Noken cuida el producto desde la materia prima hasta el fin de su vida útil, pasando por el desarrollo, la producción o la satisfacción del cliente entre otros.





# WATERFOREST

noken PORCELANOSA BATHROOMS

SUSTAINABILITY, SAVE UP TO 45,8% WATER

AHORRAR HASTA UN 45,8% DE AGUA  
SOSTENIBILIDAD

Waterforest is the concept devised by Noken Porcelanosa Bathrooms to make bathrooms more sustainable. We provide you with the necessary tools to be environmentally friendly without sacrificing design and quality.

Waterforest es el concepto que proponemos desde Noken Porcelanosa Bathrooms para la sostenibilidad en el baño. Nosotros te brindamos las herramientas necesarias para que puedas concienciarte con el medioambiente sin renunciar al diseño y la calidad.

example of consumption  
and savings \*  
within a home  
(average family 3 pax)



total

	Shower head	Faucet	Toilet	total
<b>Duration of consumption</b> Average per person and day	8.2 min. 2.5 gpm	2.48 min. 2.2 gpm	4.8 times 1.3 gpf	-
<b>daily consumption per house</b> Average Family (3 pax)	61.5 gal	16.37gal	18.72 gal	96.59 gal
<b>anual consumption</b>	22,447.5 gal	5,975.05 gal	6,832.8 gal	35,255.35 gal
<b>average water costs</b> \$ 0,005 /gal	\$ 112.24	\$ 29.88	\$ 34.16	\$ 176.28
<b>porcelanosa products saving %</b>	28 %	45 %	45.8 %	39.6 %
<b>water saving</b> gal	6,258.3	2,688.78	5,781.6	14,728.68
<b>water saving</b> \$	\$ 31.43	\$ 13.44	\$ 28.91	\$ 73.78

\* BASED ON ALLIANCE FOR WATER EFFICIENCY, EPA WATERSENSE AND LEED

Porcelanosa Products considered are:

ROUND / SQUARE 6" \_ Shower head - 1.8 gpm  
HOTELS \_ Faucet - 1.2 gpm  
URBAN C \_ Toilet - 1.2/0.8 gpf

## GRIFERÍA FAUCETS

### eco Noken Eco-Flow

#### AERATORS

With no impact on user comfort, they maintain a steady flow rate regardless of pressure changes, limiting it by up to 45%. Replacements are available based on the desired volume (0.35 gpm, 0.5 gpm, 1 gpm)

#### AIREADORES

Mantienen el caudal estable ante los cambios de presión, limitando el caudal hasta un 45% sin que ello afecte a la comodidad del usuario. Se reemplazan en función del volumen deseado (0.35 gpm, 0.5 gpm, 1 gpm)

### \* Noken Eco-Start

The cold-start mechanism opens the mixer tap in a central position, allowing only cold water to run. This therefore avoids any unnecessary use of hot water. It also leads to a reduction in energy consumption for heaters and boilers

La apertura en frío acciona el grifo con el monomando en posición central dejando paso únicamente al agua fría. Así pues, se evita el uso innecesario de agua caliente. De este modo, también se reduce el consumo energético asociado al funcionamiento de calentadores y calderas

## DUCHAS SHOWERS

### eco Noken Eco-Flow

#### LIMITERS

These maintain a steady flow rate regardless of pressure changes, limiting it by up to 30%. They can be installed on flexible or rigid pipes.

#### LIMITADORES

Mantienen el caudal estable ante los cambios de presión, limitando el caudal hasta un 30%. Pueden instalarse en los latiguillos o los flexibles.

## CERAMIC PLUMBING FIXTURES SANTARIO


### 1.2/0.8 gpf 1.6/0.8 gpf Noken Eco-Flush

Noken has incorporated several ECO flush mechanisms which save up to 45.8% water - the double flush uses 0.8 gpf, and the total flush volume is 1.2 gpf, compared with the conventional 1.3 gpf

Noken incorpora diversos mecanismos de descarga ECO la cual permite ahorrar hasta un 45.8% de agua ya que la doble descarga consiste en una descarga reducida de 0.8 gpf y un volumen total de descarga de 1.2 gpf, en lugar de los 1.3 gpf convencionales.



ECOLOGY



FAUCETS GRIFERÍA



LIGNAGE 10



OXO 12



NEW LOUNGE FLUID 13



NEW LOUNGE 14



TONO 15



SQUARE 16



NEW SWAN 19



ROUND 20



NK ONE 23



URBAN N 24



CURVE 25




HOTELS 26

# LIGNAGE



# LIGNAGE



100283505

chrome  
cromo



328

100283546

brushed copper  
cobre cepillado




328

LIGNAGE. Luxe. single control lavatory faucet, without pop-up drain, 6" spout reach,  $\varnothing 1$  ceramic cartridge, plus aerator, flow rate 1.2gpm@60psi, flexible connections for easy installation

*Luxe. monomando lavabo, sin vaciador, proyección caño 6", cartucho cerámico  $\varnothing 1$ ", aireador "plus", caudal 1.2gpm@60psi, conexiones flexibles para facilitar la instalación*

We recommend 100158905  
Se recomienda Page 51



100283560

chrome  
cromo



322

100283508

brushed copper  
cobre cepillado




322

LIGNAGE. Single control lavatory faucet, without pop-up drain, 6" spout reach,  $\varnothing 1$  ceramic cartridge, plus aerator, flow rate 1.2gpm@60psi, flexible connections for easy installation

*Monomando lavabo, sin vaciador, proyección caño 6", cartucho cerámico  $\varnothing 1$ ", aireador "plus", caudal 1.2gpm@60psi, conexiones flexibles para facilitar la instalación*

We recommend 100158905  
Se recomienda Page 51



100283571

chrome  
cromo



567

100283554


brushed copper  
cobre cepillado



567

LIGNAGE. Luxe. widespread lavatory faucet, without pop-up drain, 6" spout reach, with "plus" aerator, flow rate 1.2 gpm@60psi

*Luxe, batería de lavabo 3 piezas, sin vaciador, proyección caño 6", aireador "plus", caudal 1.2gpm @60psi*



100283551

chrome  
cromo



562

100283561

brushed copper  
cobre cepillado




562

LIGNAGE. Widespread lavatory faucet, without pop-up drain, 6" spout reach, with "plus" aerator, flow rate 1.2 gpm@60psi

*Batería de lavabo 3 piezas, sin vaciador, proyección caño 6", aireador "plus", caudal 1.2gpm @60psi*

# OXO



100286710	● chrome cromo	3.89
100286706	● matt black negro mate	3.89
100286689	● brushed titanium titanio cepillado	3.89


We recommend  
Se recomienda



100158905  
Page 51

OXO. Single control lavatory faucet with cold-water opening, without pop-up drain, 4 15/16" spout reach, adjustable plus aerator,  $\varnothing$  3/8" ceramic cartridge, flow rate 1.2 gpm@60psi, flexible connections for easy installation  
 Monomando lavabo con apertura en frío, sin vaciador, proyección caño 4 15/16",  
 aireador plus orientable, cartucho cerámico  $\varnothing$  3/8, caudal 1.2 gpm@60psi,  
 conexiones flexibles para facilitar la instalación


# NEW LOUNGE FLUID



- |                      |                                       |  |
|----------------------|---------------------------------------|--|
| <b>100371778</b> NEW | chrome<br>cromo                       |  |
| <b>100371779</b> NEW | black<br>negro                        |  |
| <b>100371800</b> NEW | copper<br>cobre                       |  |
| <b>100371801</b> NEW | titanium<br>titanio                   |  |
| <b>100371802</b> NEW | brushed copper<br>cobre cepillado     |  |
| <b>100371803</b> NEW | brushed titanium<br>titanio cepillado |  |

LOUNGE. Single control lavatory faucet, without pop-up drain, 6 7/8" spout reach, ø1" ceramic cartridge, plus aerator, flow rate 1.5 gpm@60psi, flexible connections for easy installation  
*Monomando lavabo, sin vaciador, proyección caño 6 7/8", aireador "plus", cartucho cerámico ø1", caudal 1.5 gpm@60psi, conexiones flexibles para facilitar la instalación*

We recommend 100158905  
 Se recomienda Page 51





- |                      |                                       |  |
|----------------------|---------------------------------------|--|
| <b>100371804</b> NEW | chrome<br>cromo                       |  |
| <b>100371805</b> NEW | black<br>negro                        |  |
| <b>100371806</b> NEW | copper<br>cobre                       |  |
| <b>100371808</b> NEW | titanium<br>titanio                   |  |
| <b>100371807</b> NEW | brushed copper<br>cobre cepillado     |  |
| <b>100371809</b> NEW | brushed titanium<br>titanio cepillado |  |

LOUNGE. Single control vessel faucet, without pop-up drain, 7 1/4" spout reach, plus aerator, flow rate 1.5 gpm@60psi, flexible connections for easy installation  
*Monomando lavabo caño alto, sin vaciador, proyección caño 7 1/4", aireador "plus", caudal 1.5 gpm@60psi, conexión flexible para facilitar la instalación*

We recommend 100158905  
 Se recomienda Page 51

# NEW LOUNGE



- 100371716 **NEW** chrome  
cromo 8.82

---

- 100371717 **NEW** black  
negro 8.82

---

- 100371718 **NEW** copper  
cobre 8.82

---

- 100371719 **NEW** titanium  
titanio 8.82

---

- 100371780 **NEW** brushed titanium  
titanio cepillado 8.82

---

- 100371781 **NEW** brushed copper  
cobre cepillado 8.82

- 100371782 **NEW** brushed copper  
cobre cepillado 8.82

---

- 100371783 **NEW** brushed copper  
cobre cepillado 8.82

---

- 100371784 **NEW** brushed copper  
cobre cepillado 8.82

---

- 100371785 **NEW** brushed copper  
cobre cepillado 8.82


LOUNGE. Single control lavatory faucet, without pop-up drain, 6 7/8" spout reach, ø1" ceramic cartridge, flow-breaker, flow rate 2.1 gpm@60psi, flexible connections for easy installation  
*Monomando lavabo, sin vaciador, proyección caño 6 7/8", rompeaguas, cartucho cerámico ø1", caudal 2.1 gpm@60psi, conexiones flexibles para facilitar la instalación*

LOUNGE. Single control vessel faucet, without pop-up drain, 6 7/8" spout reach, flow-breaker, flow rate 2.1 gpm@60psi, flexible connections for easy installation  
*Monomando lavabo caño alto, sin vaciador, proyección caño 6 7/8", rompeaguas, caudal 2.1 gpm@60psi, conexión flexible para facilitar la instalación*

We recommend 100158905  
*Se recomienda* Page 51


We recommend 100158905  
*Se recomienda* Page 51

# TONO



1 TONO. External part wall-mount single control faucet, without pop-up drain, 7 1/2 spout reach, plus aerator, flow rate 1.2 gpm@60 psi, internal body required (100224930)

Parte externa monomando lavabo encastre, sin vaciador, proyección caño 7 1/2, aireador plus, caudal 1.2 gpm@60 psi, cuerpo interno necesario (100224930)



2 TONO. Rough-in valve for wall-mounted single control faucet, 43862, flow rate 1.2gpm@60psi




chrome  
cromo 1.73

2 TONO. Rough-in valve for wall-mounted single control faucet, 43862, flow rate 1.2gpm@60psi

Cuerpo empotrado para mezclador lavabo, conexiones 1/2, caudal 1.2gpm@60psi



chrome  
cromo 2.07




1 TONO. External part wall-mount single control faucet, without pop-up drain, 7 1/2 spout reach, plus aerator, flow rate 1.2 gpm@60 psi, internal body required (100224930)

Parte externa monomando lavabo encastre, sin vaciador, proyección caño 7 1/2, aireador plus, caudal 1.2gpm@60 psi, cuerpo interno necesario (100224930)



chrome  
cromo 1.81



2 TONO. Rough-in valve for wall-mounted single control faucet, 43862, flow rate 1.2gpm@60psi



chrome  
cromo 2.07


2 TONO. Rough-in valve for wall-mounted single control faucet, 43862, flow rate 1.2gpm@60psi

Cuerpo empotrado para mezclador lavabo, conexiones 1/2, caudal 1.2gpm@60psi

# SQUARE



# SQUARE




	100286694	chrome cromo	3.42
	100286686	matt black negro mate	3.42
	100286709	brushed copper cobre cepillado	3.42
	100286685	brushed titanium titanio cepillado	3.42

SQUARE. Single control lavatory faucet, without pop-up drain, 5 1/16" spout reach, adjustable plus aerator, Ø1" ceramic cartridge, flow rate 1.2 gpm@60psi, flexible connections for easy installation


Monomando lavabo, sin vaciador, proyección caño 5 1/16", aireador plus orientable, cartucho cerámico Ø1", caudal 1.2 gpm@60psi, conexiones flexibles para facilitar la instalación

We recommend 100158905  
Se recomienda Page 51



1 SQUARE. External part wall-mount single control faucet, without pop-up drain, 7 7/8" spout reach, Ø1 3/8" ceramic cartridge, plus aerator, flow rate 1.2 gpm@60 psi, universal body required (100160901)

Parte externa monomando lavabo encastre, sin vaciador, proyección caño 7 7/8", cartucho cerámico Ø1 3/8", aireador "plus", caudal 1.2 gpm@60 psi, cuerpo universal necesario (100160901)




	100241089	chrome cromo	3.69	
	100286544	matt black negro mate	4.06	
	100286514	copper cobre	5.07	
	100286508	titanium titanio	4.10	
	100286526	brushed copper cobre cepillado	4.08	
	100286545	brushed titanium titanio cepillado	3.78	
		100160901	chrome cromo	2.43

2 SMART BOX BASIN. Rough-in valve for wall-mounted single control faucet, 1/2" connections, possibility of vertical and horizontal installation, flow rate 1.2gpm@60psi

Cuerpo empotrado de instalación rápida universal para mezclador lavabo, conexiones 1/2", posibilidad de instalación en horizontal y en vertical, caudal 1.2gpm@60psi


# SQUARE

1



1 SQUARE. Pressure balance trim, pressure balance rough-in valve code 100160421 required  
*Parte externa pressure balance, necesita cuerpo interno pressure balance 100160421*


2



			chrome <i> Cromo</i>		1.77
100286527			matt black <i> negro mate</i>		1.70
100285154			copper <i> cobre</i>		1.68
100285181			titanium <i> titanio</i>		1.67
100285180			brushed copper <i> cobre cepillado</i>		1.66
100285162			brushed titanium <i> titanio cepillado</i>		1.72
100160421			chrome <i> Cromo</i>		2.65


2 PROJECT. Pressure balance rough in valve, flow rate 5.4 gpm@45psi  
*Cuerpo interno pressure balance, caudal 5.4 gpm@45psi*

1



1 SQUARE. Pressure balance with diverter trim, pressure balance with diverter rough-in valve code 100160440 required  
*Parte externa pressure balance con inversor, necesita cuerpo interno pressure balance con inversor 100160440*


2



			chrome <i> Cromo</i>		1.94
100286533			matt black <i> negro mate</i>		2.09
100285109			copper <i> cobre</i>		2.05
100285171			titanium <i> titanio</i>		2.10
100285161			brushed copper <i> cobre cepillado</i>		2.08
100285139			brushed titanium <i> titanio cepillado</i>		2.08
100160440			chrome <i> Cromo</i>		3.28

2 PROJECT. Pressure balance with diverter rough in valve, flow rate shower 4.9 gpm@45psi and flow rate bath 5.2 gpm@45psi  
*Cuerpo interno pressure balance con inversor, caudal salida ducha 4.9 gpm@45psi y caudal salida baño 5.2 gpm@45psi*

# NEW SWAN



100371810 **NEW**

● chrome  
cromo



8.82

100371811 **NEW**

● black  
negro



8.82

We recommend  
*Se recomienda*





100158905  
Page 51

SWAN. Single lever basin mixer, Ø1" ceramic cartridge, Connection 3/8", "Plus" aerator, Flow rate 1.2gpm@60psi

*Monomando lavabo con cartucho cerámico de Ø1", Conexiones de 3/8", Aireador "plus", El caudal 1.2gpm@60psi*

# ROUND



**WATERFOREST**  
SINCE 1988

**WATERFOREST**  
SINCE 1988

		100224927	chrome cromo	
		100224928	matt black negro mate	
		100347708	copper cobre	
		100347707	titanium titanio	
		100347710	brushed copper cobre cepillado	
		100347709	brushed titanium titanio cepillado	

		100229332	chrome cromo	
		100229304	matt black negro mate	
		100353120	brushed copper cobre cepillado	
		100353121	brushed titanium titanio cepillado	

ROUND. Single control lavatory faucet with cold-water opening, without pop-up drain, 4 7/8" spout reach, plus aerator, ø1 3/8" ceramic cartridge, flow rate 1.2 gpm@60psi, flexible connections for easy installation  
*Monomando lavabo con apertura en frío, sin vaciador, proyección caño 4 7/8", aireador plus, cartucho cerámico ø1 3/8, caudal 1.2 gpm@60psi, conexiones flexibles para facilitar la instalación*


ROUND. Single control vessel faucet with cold-water opening, without pop-up drain, 6 11/16" spout reach, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation  
*Monomando lavabo caño alto con apertura en frío, sin vaciador, proyección caño 6 11/16", aireador plus, caudal 1.2 gpm@60psi, conexión flexible para facilitar la instalación*

We recommend 100158905  
 Se recomienda Page 51


We recommend 100158905  
 Se recomienda Page 51

# ROUND

1



2



**1** RONDO. External part wall-mount single control faucet, without pop-up drain, 8 1/4 spout reach,  $\varnothing$ 1 3/8" ceramic cartridge, plus aerator, flow rate 1.2 gpm@60 psi, universal body required (100160901)



Parte externa monomando lavabo encastre, sin vaciador, proyección caño 8 1/4, cartucho cerámico  $\varnothing$ 1 3/8", aireador "plus", caudal 1.2 gpm@60 psi, cuerpo universal necesario (100160901)



100224975	chrome cromo	2.97
100224954	matt black negro mate	2.97
100285108	copper cobre	2.65
100285155	titanium titanio	2.94
100285119	brushed copper cobre cepillado	2.93
100285184	brushed titanium titanio cepillado	2.92
100160901	chrome cromo	2.43

**2** SMART BOX BASIN. Rough-in valve for wall-mounted single control faucet, 1/2" connections, possibility of vertical and horizontal installation, flow rate 1.2gpm@60psi

Cuerpo empotrado de instalación rápida universal para mezclador lavabo, conexiones 1/2", posibilidad de instalación en horizontal y en vertical, caudal 1.2gpm@60psi



100308563	chrome cromo	3.09
100308564	satin stainless steel acero inox satinado	1.10

100308582	chrome cromo	1.10
100308565	satin stainless steel acero inox satinado	1.10

ROUND. Round deck mounted basin mixer, 9V(LR61) alkaline battery. Cold water or pre mixed, 1.89 L/M (0.5GPM), 0,5-5,0 bar (7-72,5 PSI), sensor range 30-100mm +- 10mm 1,18-3,94" ( or custom with remote control 100038795), Tmax 70°, self close 90s (or custom with remote control ), included transformer US-100305213


Grifería caño apoyo modelo Round, a batería 9V(LR61), para agua fría o premezclada, 1.89 L/M (0.5GPM), 0,5-5.0 bar (7- 72.5 PSI), rango del sensor 30-100 mm +- 10 mm 1.18-3.94" (personalizable con el mando de control opcional 100038795), Tmax 70°C, autoapagado 90s (ajustable por control remoto, transformador US-100305213 incluido.

ROUND. Round wall mounted basin mixer, 9V(LR61) battery, Cold water or pre mixed, 4,0 L/M (1.0GPM), 0,5-5,0 bar (7- 72,5 PSI), sensor range 30-155mm +- 10mm 1,38-6,10" + 0,39" ( or custom with remote control 100038795), Tmax 70°, self close 90s (or custom with remote control ), included transformer US-100305213. NPT adaptor 100305241 included.

Grifería caño encastre modelo Round, a batería 9V(LR61), para agua fría o premezclada, 4.0 L/M (1.0GPM), 0.5-5.0 bar (7- 72.5 PSI), rango del sensor 35-155 mm +- 10 mm 1.38-6.10" +0.39" (personalizable con el mando de control opcional 100038795), Tmax 70°C, autoapagado 90s (ajustable por control remoto), transformador US-100305213 incluido. Adaptador conexión NPT 100305241 incluido


# ROUND

1



1 RONDO. Pressure balance trim, pressure balance rough-in valve code 100160421 required  
*Parte externa pressure balance, necesita cuerpo interno pressure balance 100160421*


2



100224955		chrome <i>chromo</i>	1.00
100224974	60	matt black <i>negro mate</i>	1.00
100285160	60	copper <i>cobre</i>	1.04
100285151	60	titanium <i>titanio</i>	1.02
100285138	60	brushed copper <i>cobre cepillado</i>	1.02
100285089	60	brushed titanium <i>titanio cepillado</i>	1.02
100160421		chrome <i>chromo</i>	2.65


2 PROJECT. Pressure balance rough in valve, flow rate 5.4 gpm@45psi  
*Cuerpo interno pressure balance, caudal 5.4 gpm@45psi*

1



1 RONDO. Pressure balance with diverter trim, pressure balance with diverter rough-in valve code 100160440 required  
*Parte externa pressure balance con inversor, necesita cuerpo interno pressure balance con inversor 100160440*


2



100224956		chrome <i>chromo</i>	1.69
100224926	60	matt black <i>negro mate</i>	1.69
100285156	60	copper <i>cobre</i>	2.65
100285129	60	titanium <i>titanio</i>	1.98
100285142	60	brushed copper <i>cobre cepillado</i>	1.97
100285150	60	brushed titanium <i>titanio cepillado</i>	1.96
100160440		chrome <i>chromo</i>	3.28

2 PROJECT. Pressure balance with diverter rough in valve, flow rate shower 4.9 gpm@45psi and flow rate bath 5.2 gpm@45psi  
*Cuerpo interno pressure balance con inversor, caudal salida ducha 4.9 gpm@45psi y caudal salida baño 5.2 gpm@45psi*

# NK ONE



100095032

chrome  
cromo



We recommend  
Se recomienda




100158905  
Page 51



NK ONE. Single control lavatory faucet, pop-up drain with 1-1/4" tail piece, 4 9/16" spout reach, plus aerator, ø1" ceramic cartridge, flow rate 1.13 gpm@60psi, flexible connections for easy installation. the faucet complies with ada requirements, but not the drain. to meet ada requirements, the drain must be replaced by a clicker drain.

Monomando lavabo, vaciador automático con tail piece 1 1/4", proyección caño 4 9/16", aireador "plus", cartucho cerámico ø1", caudal 1.13 gpm@60psi, conexiones flexibles para facilitar la instalación. la grifería cumple con ada, pero el vaciador no. para cumplir el conjunto con ada se debe cambiar el vaciador automático por un clicker.

# URBAN N



100343264



chrome  
cromo



2.85



100343265



matt black  
negro mate



2.85

We recommend  
Se recomienda



100158905  
Page 51

URBAN. Single control lavatory faucet with cold-water opening, without pop-up drain, 4 11/16" spout reach, ø1 ceramic cartridge, plus aerator, flow rate 1.2gpm@60psi, flexible connections for easy installation  
 Monomando lavabo con apertura en frío, sin vaciador, proyección caño 4 11/16", cartucho cerámico ø1", aireador "plus", caudal 1.2gpm@60psi, conexiones flexibles para facilitar la instalación

ADA compliant when installed to the specific requirements of this regulation  
 ADA cumple cuando está instalado bajo los requisitos de la regulación

# CURVE



**100237625**
 chrome
   
 cromó
   
  
 4.83

CURVE. Single control lavatory faucet, with pop-up drain, 6 9/16" spout reach,  $\varnothing$  1 3/8" ceramic cartridge, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation

*Monomando lavabo, con vaciador, proyección caño 6 9/16", cartucho cerámico  $\varnothing$  1 3/8", aireador "plus", caudal 1.2 gpm@60psi, conexiones flexibles para facilitar la instalación*

**100237664**
 chrome
   
 cromó
   
  
 3.82


CURVE. Single control lavatory faucet, without pop-up drain, 6 9/16" spout reach,  $\varnothing$  1 3/8" ceramic cartridge, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation

*Monomando lavabo, sin vaciador, proyección caño 6 9/16", cartucho cerámico  $\varnothing$  1 3/8", aireador "plus", caudal 1.2 gpm@60psi, conexiones flexibles para facilitar la instalación*

# HOTELS



# HOTELS



100141279


chrome  
cromo

2.65

HOTELS. Single control lavatory faucet, without pop-up drain, 4 5/16" spout reach,  $\varnothing 1"$  ceramic cartridge, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation

*Monomando lavabo, sin vaciador, proyección caño 4 5/16", aireador "plus", cartucho cerámico  $\varnothing 1"$ , caudal 1.2 gpm@60psi, conexiones flexibles para facilitar la instalación*

We recommend  100158905  
Se recomienda Page 51



100141293


chrome  
cromo

4.41

HOTELS. Single control vessel faucet, without pop-up drain, 6 11/16" spout reach, plus aerator, flow rate 1.2 gpm@60psi, flexible connections for easy installation

*Monomando lavabo caño alto, sin vaciador, proyección caño 6 11/16", aireador "plus", caudal 1.2 gpm@60psi, conexión flexible para facilitar la instalación*

We recommend  100158905  
Se recomienda Page 51



100141310


chrome  
cromo

4.63

HOTELS. Widespread lavatory faucet, without pop-up drain, 4 5/8" spout reach, plus aerator, flow rate 1.2 gpm@60psi

*Bateria lavabo 3 piezas, sin vaciador, proyección caño 4 5/8", aireador "plus", caudal 1.2 gpm@60psi*


We recommend  100158905  
Se recomienda Page 51



chrome  
cromo

0.78

BASIC. Un-slotted clicker drain, with tile piece  
*Vaciador clicker sin rebosadero, con tail piece*



**SHOWERS** *DUCHAS*



TOUCH&FEEL THERMOSTATICS  
VALVES - TERMOSTÁTICAS 30



THERMOSTATICS VALVES -  
TERMOSTÁTICAS 31



TOUCH&FEEL PRESSURE  
BALANCE 35




PRESSURE BALANCE 36



SHOWER HEADS: NEPTUNE SLIM -  
ROCIADORES: NEPTUNE SLIM 38



SHOWER HEADS: COLLECTIONS -  
ROCIADORES: COLLECTIONS 42



BODY JETS - JETS 43



SHOWER PACKS - PACKS DE  
DUCHA 44




HANDSHOWERS -  
TELEDUCHAS 46



ACCESSORIES - ACCESORIOS 48

# TOUCH&FEEL THERMOSTATICS VALVES – TERMOSTÁTICAS



**WATERFOREST**  
WATER TECHNOLOGY INNOVATION




100253664



chrome  
 cromo



10.45



**WATERFOREST**  
WATER TECHNOLOGY INNOVATION



100253654



chrome  
 cromo



10.75


TOUCH&FEEL. Thermostatic concealed bath/shower mixer with 2 outlets, thermostatic cartridge, thermostatic cartridge. connections 1/2". trim kit and project line body included, the flow rate 5.5 gpm@45psi for both outlets, possibility to combine functions simultaneously, trims for hand shower and rain buttons installed, it incorporates additionally a cascade trim button interchangeable

*Termostática de encastre baño/ducha con dos salidas, cartucho termostático con termolemento de cera incorporado, conexiones de entrada y de salida de 1/2", incluye cuerpo interno tipo project line y partes externas, el caudal 5.5 gpm@45psi para ambas salida, los botones que vienen de serie son la teleducha y la lluvia, además incorpora botón adicional intercambiable para cascada*


TOUCH&FEEL. Thermostatic concealed bath/shower mixer with 3 outlets, thermostatic cartridge, inlet connections 3/4", outlet connections 1/2", trim kit and smart box body included, the flow rate is 5.2 gpm@45psi for both lateral outlets and 5.8 gpm@45psi for the upper outlet, possibility to combine functions simultaneously, trims for hand shower, rain and cascade buttons installed. additionally it's included a central jet trim button interchangeable

*Termostática de encastre baño/ducha con tres salidas, cartucho termostático con termolemento de cera incorporado, conexiones de entrada de 3/4" y de salida de 1/2", incluye cuerpo interno tipo smart box y partes externas, el caudal 5.2 gpm@45psi para las salidas laterales y 5.8 gpm@45psi para la salida superior, los botones que vienen de serie son la teleducha, la lluvia y la cascada, además, incorpora botón adicional intercambiable para la función chorro central*

# THERMOSTATICS VALVES - TERMOSTÁTICAS



1 SQUARE. Thermostatic trim 1 way, thermostatic rough-in valve 1 way code 100238832 required  
*Parte externa termostática 1 salida, necesita el cuerpo interno código 100238832*



100065012

chrome  
cromo

3.36



2 BASIC. Thermostatic valve 1 way, flow rate 7.4gpm@45psi  
*Cuerpo interno termostática 1 salida, caudal 7.4gpm@45psi*

100238832

5.00

# THERMOSTATIC VALVES – TERMOSTÁTICAS


1



**1** SQUARE. Trim kit for the thermostatic valve 2 ways, thermostatic rough-in valve 2 ways code 100238833 required  
*Parte externa termostática 2 salidas, necesita el cuerpo interno de 2 vías código 100238833*

**2** BASIC. Thermostatic valve 2 way, flow rate shower 5.5gpm@45psi, flow rate bath 6.2gpm@45psi  
*Cuerpo interno termostática 2 salidas, caudal ducha 5.5gpm@45psi, caudal baño 6.2gpm@45psi*

2



100081777

● chrome  
 cromo

3.37

100229340





● matt black  
 negro mate

3.37

100238833

4.67


1



**1** SQUARE. Trim kit for the thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238860 required  
*Parte externa termostática 3 salidas, necesita el cuerpo interno de 3 vías código 100238860*

**2** BASIC. Thermostatic valve 3 way, flow rate for both shower outputs is 5.3gpm@43.5psi, flow rate bath 5.9gpm@43.5psi  
*Cuerpo interno termostática 3 salidas, caudal de las dos salidas de ducha 5.3gpm@43.5psi, caudal baño 5.9gpm@43.5psi*

2



100180557

● chrome  
 cromo

3.49

100229325




● matt black  
 negro mate

3.49

100238860

4.78


1



**1** SQUARE. Trim kit for thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238813 required  
*Parte externa termostática 3 vías, necesita cuerpo interno termostática 3 salida código 100238813*

**2** BASIC. Thermostatic valve 3 ways, flow rate shower 5.3gpm@45psi, flow rate bath 5.8gpm@45psi, flow rate high flow output 9.3gpm@45psi  
*Termostática 3 vías, caudal ducha 5.3gpm@45psi, caudal baño 5.8gpm@45psi, salida gran caudal 9.3gpm@45psi*

2



100104973

● chrome  
 cromo


5.05

100238813

5.75

# THERMOSTATIC VALVES – TERMOSTÁTICAS


1



**1** BELA. Trim kit for the thermostatic valve 2 ways, thermostatic rough-in valve 2 ways code 100238833 required  
*Parte externa termostática 2 salidas, necesita el cuerpo interno de 2 vías código 100238833*

**2** BASIC. Thermostatic valve 2 way, flow rate shower 5.5gpm@45psi, flow rate bath 6.2gpm@45psi  
*Cuerpo interno termostática 2 salidas, caudal ducha 5.5gpm@45psi, caudal baño 6.2gpm@45psi*


2



**1** BELA. Trim kit for the thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238860 required  
*Parte externa termostática 3 salidas, necesita el cuerpo interno de 3 vías código 100238860*

**2** BASIC. Thermostatic valve 3 way, flow rate for both shower outputs is 5.3gpm@43.5psi, flow rate bath 5.9gpm@43.5psi  
*Cuerpo interno termostática 3 salidas, caudal de las dos salidas de ducha 5.3gpm@43.5psi, caudal baño 5.9gpm@43.5psi*


2



**1** BELA. Trim kit for thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238813 required  
*Parte externa termostática 3 vías, necesita cuerpo interno termostática 3 salida código 100238813*

**2** BASIC. Thermostatic valve 3 ways, flow rate shower 5.3gpm@45psi, flow rate bath 5.8gpm@45psi, flow rate high flow output 9.3gpm@45psi  
*Termostática 3 vías, caudal ducha 5.3gpm@45psi, caudal baño 5.8gpm@45psi, salida gran caudal 9.3gpm@45psi*

2



**1** BELA. Trim kit for thermostatic valve 3 ways, thermostatic rough-in valve 3 ways code 100238813 required  
*Parte externa termostática 3 vías, necesita cuerpo interno termostática 3 salida código 100238813*

**2** BASIC. Thermostatic valve 3 ways, flow rate shower 5.3gpm@45psi, flow rate bath 5.8gpm@45psi, flow rate high flow output 9.3gpm@45psi  
*Termostática 3 vías, caudal ducha 5.3gpm@45psi, caudal baño 5.8gpm@45psi, salida gran caudal 9.3gpm@45psi*

**100104972**

chrome  
cromo

4.68

**100238813**

5.75

WATERFOREST  
WATER FOREST CORPORATION


WATERFOREST  
WATER FOREST CORPORATION

WATERFOREST  
WATER FOREST CORPORATION


WATERFOREST  
WATER FOREST CORPORATION

# THERMOSTATIC VALVES – TERMOSTÁTICAS

1



2



1 SQUARE. Thermostatic trim, thermostatic rough-in valve without volume control code 100238843 required

*Parte externa termostática, necesita el cuerpo interno código 100238843*



100065010

chrome  
cromo

2.34


2 BASIC. Thermostatic valve without volume control, flow rate 10.1gpm@45psi

*Cuerpo interno termostática sin regulador de caudal, caudal 10.1gpm@45psi*


100238843

3.38

1



2



1 SQUARE. Volume control trim, volume control rough-in valve code 100238822 required

*Parte externa llave de paso, necesita el cuerpo interno código 100238822*



100065006

chrome  
cromo

1.70


2 BASIC. Volume control rough in valve, flow rate 10.1gpm@45psi

*Cuerpo interno llave de paso, caudal 10.1gpm@45psi*

100238822

1.70

# TOUCH&FEEL PRESSURE BALANCE




TOUCH&FEEL. Pressure balance concealed bath/shower mixer with 2 outlets,  $\varnothing 40$  mm ceramic cartridge, connections 1/2". trim kit and project line body included, the flow rate 5.2 gpm@45psi for both outlets, possibility to combine functions simultaneously, trims for hand shower and rain buttons installed, it incorporates additionally a cascade trim button interchangeable

*Pressure balance de encastre baño/ducha con dos salidas, cartucho cerámico de 40 mm, conexiones de 1/2" tanto de entrada como de salida, incluye cuerpo interno tipo project line y partes externas, el caudal 5.2 gpm@45psi para ambas salidas, posibilidad de combinar funciones simultáneamente, los botones incluidos de serie son la teleducha y la lluvia. además incorpora botón adicional intercambiable para cascada*


# PRESSURE BALANCE

1



1 RONDO. Pressure balance trim, pressure balance rough-in valve code 100160421 required  
*Parte externa pressure balance, necesita cuerpo interno pressure balance 100160421*


2



100224955		chrome cromo	1.00
100224974	60	matt black negro mate	1.00
100285160	60	copper cobre	1.04
100285151	60	titanium titanio	1.02
100285138	60	brushed copper cobre cepillado	1.02
100285089	60	brushed titanium titanio cepillado	1.02
100160421		chrome cromo	2.65


2 PROJECT. Pressure balance rough in valve, flow rate 5.4 gpm@45psi  
*Cuerpo interno pressure balance, caudal 5.4 gpm@45psi*

1



1 RONDO. Pressure balance with diverter trim, pressure balance with diverter rough-in valve code 100160440 required  
*Parte externa pressure balance con inversor, necesita cuerpo interno pressure balance con inversor 100160440*

2




100224956		chrome cromo	1.69
100224926	60	matt black negro mate	1.69
100285156	60	copper cobre	2.65
100285129	60	titanium titanio	1.98
100285142	60	brushed copper cobre cepillado	1.97
100285150	60	brushed titanium titanio cepillado	1.96
100160440		chrome cromo	3.28


2 PROJECT. Pressure balance with diverter rough in valve, flow rate shower 4.9 gpm@45psi and flow rate bath 5.2 gpm@45psi  
*Cuerpo interno pressure balance con inversor, caudal salida ducha 4.9 gpm@45psi y caudal salida baño 5.2 gpm@45psi*

# PRESSURE BALANCE

1



2




**1** SQUARE. Pressure balance trim, pressure balance rough-in valve code 100160421 required  
*Parte externa pressure balance, necesita cuerpo interno pressure balance 100160421*




100234035		chrome <i>chromo</i>	1.77
100286527	60	matt black <i>negro mate</i>	1.70
100285154	60	copper <i>cobre</i>	1.68
100285181	60	titanium <i>titanio</i>	1.67
100285180	60	brushed copper <i>cobre cepillado</i>	1.66
100285162	60	brushed titanium <i>titanio cepillado</i>	1.72
100160421		chrome <i>chromo</i>	2.65

**2** PROJECT. Pressure balance rough in valve, flow rate 5.4 gpm@45psi  
*Cuerpo interno pressure balance, caudal 5.4 gpm@45psi*

1



2



**1** SQUARE. Pressure balance with diverter trim, pressure balance with diverter rough-in valve code 100160440 required  
*Parte externa pressure balance con inversor, necesita cuerpo interno pressure balance con inversor 100160440*




100234006		chrome <i>chromo</i>	1.94
100286533	60	matt black <i>negro mate</i>	2.09
100285109	60	copper <i>cobre</i>	2.05
100285171	60	titanium <i>titanio</i>	2.10
100285161	60	brushed copper <i>cobre cepillado</i>	2.08
100285139	60	brushed titanium <i>titanio cepillado</i>	2.08
100160440		chrome <i>chromo</i>	3.28

**2** PROJECT. Pressure balance with diverter rough in valve, flow rate shower 4.9 gpm@45psi and flow rate bath 5.2 gpm@45psi  
*Cuerpo interno pressure balance con inversor, caudal salida ducha 4.9 gpm@45psi y caudal salida baño 5.2 gpm@45psi*

**SHOWER HEADS: NEPTUNE SLIM – ROCIADORES: NEPTUNE SLIM**




# SHOWER HEADS: NEPTUNE SLIM – ROCIADORES: NEPTUNE SLIM




100064923	chrome cromo	2.34
100225023	matt black negro mate	2.34
100285195	copper cobre	2.34
100285157	titanium titano	2.34
100285799	brushed copper cobre cepillado	2.34
100285839	brushed titanium titano cepillado	2.34

ROUND. Rain shower head, with ball joint, flow limiter 1.75gpm @ 80psi  
Rociador, con rótula, limitador de caudal 1.75gpm @ 80psi




100067709	chrome cromo	4.63
-----------	-----------------	------

ROUND. Rain shower, with ball joint, flow limiter 2.5gpm @ 80psi  
Rociador, con rótula, limitador de caudal 2.5gpm @ 80psi



100065585	chrome cromo	0.99
100225021	matt black negro mate	0.99
100285198	copper cobre	0.99
100285210	titanium titano	0.99
100285846	brushed copper cobre cepillado	0.99
100285834	brushed titanium titano cepillado	0.99


ACCESSORIES. Shower head arm, wall connection  
Brazo rociador, conexión pared



100067708	chrome cromo	0.51
100229047	matt black negro mate	0.51
100285147	copper cobre	0.51
100285148	titanium titano	0.51
100285854	brushed copper cobre cepillado	0.51
100285845	brushed titanium titano cepillado	0.51

ACCESSORIES. Shower head arm, ceiling connection  
Brazo rociador, conexión a techo

# SHOWER HEADS: NEPTUNE SLIM – ROCIADORES: NEPTUNE SLIM



WATERFOREST  
WATER TECHNOLOGIES CORPORATION

**SP** **US** **MASS** **Meets CALGreen standards** **100064924** **chrome** / **chromo** 2.66

**SP** **US** **MASS** **Meets CALGreen standards** **100286529** **60** **matt black** / **negro mate** 2.66


**SP** **US** **MASS** **Meets CALGreen standards** **100180172** **60** **copper** / **cobre** 2.66

**100180133** **60** **titanium** / **titanio** 2.66

**SP** **US** **MASS** **Meets CALGreen standards** **100285868** **60** **brushed copper** / **cobre cepillado** 2.66

**100285855** **60** **brushed titanium** / **titanio cepillado** 2.66


SQUARE. Rain shower head, with ball joint, flow limiter 1.75gpm @ 80psi  
*Rociador, con rótula, limitador de caudal 1.75gpm @ 80psi*



WATERFOREST  
WATER TECHNOLOGIES CORPORATION

**SP** **US** **MASS** **100067715** **chrome** / **chromo** 5.51

SQUARE. Square rain shower head, with ball joint, flow limiter 2.5gpm @ 80psi  
*Rociador, con rótula, limitador de caudal 2.5gpm @ 80psi*



WATERFOREST  
WATER TECHNOLOGIES CORPORATION

**SP** **US** **MASS** **100065577** **chrome** / **chromo** 1.10

**100286515** **60** **matt black** / **negro mate** 1.10


**100180175** **60** **copper** / **cobre** 1.10

**100180070** **60** **titanium** / **titanio** 1.10

**100285892** **60** **brushed copper** / **cobre cepillado** 1.10

**100285891** **60** **brushed titanium** / **titanio cepillado** 1.10

ACCESSORIES. Shower head arm, wall connection  
*Brazo rociador, conexión pared*



WATERFOREST  
WATER TECHNOLOGIES CORPORATION

**SP** **US** **MASS** **100067716** **chrome** / **chromo** 0.73

**100286495** **60** **matt black** / **negro mate** 0.73

**100180169** **60** **copper** / **cobre** 0.73


**100180093** **60** **titanium** / **titanio** 0.73

**100285857** **60** **brushed copper** / **cobre cepillado** 0.73

**100285858** **60** **brushed titanium** / **titanio cepillado** 0.73


ACCESSORIES. Shower head arm, ceiling connection  
*Brazo rociador, conexión a techo*

# SHOWER HEADS: NEPTUNE SLIM – ROCIADORES: NEPTUNE SLIM




100104910	● chrome cromo	1.64
100225022	● matt black negro mate	1.64

ROUND. Rain shower head, with ball joint, flow limiter 1.8gpm @ 80psi  
 Rociador, con rótula, limitador de caudal 1.8gpm @ 80psi




100104964	● chrome cromo	1.88
-----------	-------------------	------

SQUARE. Square shower head, with ball joint, flow limiter 1.8gpm @ 80psi  
 Rociador square, con rótula, limitador de caudal 1.8gpm @ 80psi



100104962	● chrome cromo	0.64
100224983	● matt black negro mate	0.64

ACCESSORIES. Shower head arm, wall connection  
 Brazo rociador, conexión a pared



100104963	● chrome cromo	0.57
-----------	-------------------	------

ACCESSORIES. Shower head arm, wall connection  
 Brazo rociador, conexión a pared

# SHOWER HEADS: COLLECTIONS – ROCIADORES: COLLECTIONS



**WATERFOREST**  
100159823

polished stainless steel  
inox espejo

12.35

FORMA. Rain + waterfall shower head, aisi304 polished stainless steel, with 1/2" connectors, flow rate rain 2.5gpm@45psi, flow rate waterfall 2.5gpm@45psi  
Rociador función lluvia + cascada, stainless steel pulido aisi 304, con conexiones de 1/2", caudal lluvia 2.5gpm@45psi, caudal cascada 2.5gpm@45psi


**WATERFOREST**  
100141901

polished stainless steel  
inox espejo

14.30


NK LOGIC. Rain + waterfall shower head, aisi304 polished stainless steel, with 1/2" connectors, flow rate rain 2.5gpm@45psi, flow rate waterfall 2.5gpm@45psi  
Rociador función lluvia + cascada, stainless steel pulido aisi 304, con conexiones de 1/2", caudal lluvia 2.5gpm@45psi, caudal cascada 2.5gpm@45psi

# BODY JETS – JETS




SP US	MASS	Product Code	Color	Flow Rate (gpm)
		100067712	chrome / cromo	0.52
		100286546	matt black / negro mate	0.52
		100285175	copper / cobre	0.52
		100285187	titanium / titanio	0.52
		100285865	brushed copper / cobre cepillado	0.52
		100285880	brushed titanium / titanio cepillado	0.52

ROUND. Wall-mount body jet 1/2", flow rate required: 1.4gpm@80psi  
 Jet de ducha lateral 1/2", caudal requerido: 1.4gpm@80psi




SP US	MASS	Product Code	Color	Flow Rate (gpm)
		100067711	chrome / cromo	0.71
		100286509	matt black / negro mate	0.71
		100209852	copper / cobre	0.71
		100209842	titanium / titanio	0.71
		100285869	brushed copper / cobre cepillado	0.71
		100285856	brushed titanium / titanio cepillado	0.71

SQUARE. Wall-mount body jet 1/2", flow rate required: 1.6gpm@80psi  
 Jet de ducha lateral 1/2", caudal requerido: 1.6gpm@80psi



SP US	Product Code	Color	Flow Rate (gpm)
	100095029	chrome / cromo	1.76

ESSENCE. 1/2" concealed body jet, flow limiter: 1.1 gpm@80 psi  
 Jet encastre 1/2", limitador de caudal: 1.1 gpm@80psi




SP US	Product Code	Color	Flow Rate (gpm)
	100095030	chrome / cromo	1.76

LOUNGE. 1/2" concealed body jet, flow limiter: 1.1 gpm@80 psi  
 Jet encastre 1/2", limitador de caudal: 1.1 gpm@80psi

## SHOWER PACKS - PACKS DE DUCHA



# SHOWER PACKS – PACKS DE DUCHA



**RONDO.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100067714) and flexi hose (100144908)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100067714) y flexible (100144908)*



100121346



chrome  
cromo



4.19

**RONDO.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100225013) and flexi hose (100322982)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100225013) y flexible (100322982)*

100286498



matt black  
negro mate



4.19

**RONDO.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285188) and flexi hose (100322980)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285188) y flexible (100322980)*

100285197



copper  
cobre



4.19

**RONDO.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285166) and flexi hose (100322961)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285166) y flexible (100322961)*

100285202



titanium  
titanio



4.19

**RONDO.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285873) and flexi hose (100322981)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285873) y flexible (100322981)*

100285874



brushed copper  
cobre cepillado



4.19

**RONDO.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285838) and flexi hose (100322971)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285838) y flexible (100322971)*


100285837



brushed titanium  
titanio cepillado



4.19



**NK.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100067713) and flexi hose (100144908)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100067713) y flexible (100144908)*



100121347



chrome  
cromo



4.10

**NK.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100286535) and flexi hose (100322982)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100286535) y flexible (100322982)*

100286536



matt black  
negro mate



4.10

**NK.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285193) and flexi hose (100322980)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285193) y flexible (100322980)*

100285169



copper  
cobre



4.10

**NK.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285146) and flexi hose (100322961)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285146) y flexible (100322961)*

100285203



titanium  
titanio



4.10

**NK.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285798) and flexi hose (100322981)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285798) y flexible (100322981)*

100285844



brushed copper  
cobre cepillado



4.10

**NK.** Shower pack, included.; handshower bar with bracket and 1 function handshower (100285872) and flexi hose (100322971)

*Pack de ducha, incluye; barra de ducha con fijaciones, teleducha 1 función (100285872) y flexible (100322971)*

100285833



brushed titanium  
titanio cepillado




4.10

## HANDSHOWERS - TELEDUCHAS



# HANDSHOWERS - TELEDUCHAS



100065250

chrome  
cromo



0.86

100210917

copper  
cobre



0.86


100208613

titanium  
titanio



0.86

LOUNGE. Single function handshower, flow rate 2.5gpm@80psi  
Teleducha 1 función, caudal 2.5gpm@80psi



Meets  
CALGreen  
standards


250049632

chrome  
cromo



0.61

JOY. JOY - hand shower 5 functions, 1,7 gpm flow restrictor included  
JOY - Teleducha 5 funciones, Con limitador de caudal de 1,7 gpm



Meets  
CALGreen  
standards

100067714

chrome  
cromo



0.53



100225013 matt black  
negro mate



0.53

100285188 copper  
cobre



0.53

100285166 titanium  
titanio



0.53

100285873 brushed copper  
cobre cepillado




0.53

100285838 brushed titanium  
titanio cepillado



0.53

ROUND. Single function handshower, flow rate 1.5gpm@80psi  
Teleducha 1 función, caudal 1.5gpm@80psi



Meets  
CALGreen  
standards

100067713

chrome  
cromo



0.57



100286535 matt black  
negro mate



0.57

100285193 copper  
cobre



0.57

100285146 titanium  
titanio



0.57

100285798 brushed copper  
cobre cepillado



0.57


100285872 brushed titanium  
titanio cepillado



0.57

SQUARE. Single function handshower, flow rate 1.8gpm@80psi  
Teleducha 1 función, caudal 1.8gpm@80psi


# ACCESSORIES - ACCESORIOS



Part Number	Color	Weight
100121350	chrome <i>chromo</i>	1.19
100286560	matt black <i>negro mate</i>	1.19
100285194	copper <i>cobre</i>	1.19
100285189	titanium <i>titanio</i>	1.19
100285797	brushed copper <i>cobre cepillado</i>	1.19
100285832	brushed titanium <i>titanio cepillado</i>	1.19

SQUARE. Wall handshower holder, with water supply elbow, vacuum breaker included


*Soporte maneta de ducha, con toma de agua, incluye válvula anti-retorno*



Part Number	Color	Weight
100121348	chrome <i>chromo</i>	0.71
100225020	matt black <i>negro mate</i>	0.71
100285158	copper <i>cobre</i>	0.71
100285173	titanium <i>titanio</i>	0.71
100285847	brushed copper <i>cobre cepillado</i>	0.71
100285835	brushed titanium <i>titanio cepillado</i>	0.71

ROUND. Wall handshower holder, with water supply elbow, vacuum breaker included


*Soporte maneta de ducha, con toma de agua, incluye válvula antiretorno*



Part Number	Color	Weight
100038630	chrome <i>chromo</i>	0.71
100212568	matt black <i>negro mate</i>	0.71
100180118	copper <i>cobre</i>	0.71
100180021	titanium <i>titanio</i>	0.71
100281756	brushed copper <i>cobre cepillado</i>	0.71
100280697	brushed titanium <i>titanio cepillado</i>	0.71

COTA. Wall handshower holder

*Soporte teleducha pared*




Part Number	Color	Weight
100280987	chrome <i>chromo</i>	0.82
100289094	matt black <i>negro mate</i>	0.82
100280698	copper <i>cobre</i>	0.82
100280763	titanium <i>titanio</i>	0.82
100280782	brushed copper <i>cobre cepillado</i>	0.82
100281795	brushed titanium <i>titanio cepillado</i>	0.82

MINIMAL. Wall handshower holder


*Soporte teleducha pared*

# ACCESSORIES – ACCESORIOS



		100121351	chrome cromo		0.88
		100286547	matt black negro mate		0.88
		100180144	copper cobre		0.88
		100180004	titanium titanio		0.88
		100285881	brushed copper cobre cepillado		0.88
		100285890	brushed titanium titanio cepillado		0.88

SQUARE. Wall-mount supply elbow, vacuum breaker included  
Toma de agua, válvula anti-retorno incluida



		100121349	chrome cromo		0.40
		100286550	matt black negro mate		0.40
		100285200	copper cobre		0.40
		100285174	titanium titanio		0.40
		100285836	brushed copper cobre cepillado		0.40
		100285848	brushed titanium titanio cepillado		0.40

ROUND. Wall-mount supply elbow, vacuum breaker included  
Toma de agua, válvula anti-retorno incluida



		100144963	chrome cromo		0.62
		100179934	copper cobre		0.62
		100179941	titanium titanio		0.62

BASIC. Flexi shower hose, twist free  
Flexible de ducha, antitorsión

		100144908	chrome cromo		0.66
--	--	-----------	-----------------	--	------

BASIC. Flexi shower hose, twist free  
Flexible de ducha, antitorsión



		100144964	silver plata		0.63
		100144926	white blanco		0.63
		100229342	matt black negro mate		0.63
		100289137	copper cobre		0.63
		100289129	titanium titanio		0.63
		100285866	brushed copper cobre cepillado		0.63
		100285867	brushed titanium titanio cepillado		0.63


BASIC. Flexi shower hose, pvc coated  
Flexible de ducha, recubierto pvc

		100144909	silver plata		0.70
		100322982	matt black negro mate		0.70
		100322980	copper cobre		0.70
		100322961	titanium titanio		0.70
		100322981	brushed copper cobre cepillado		0.70
		100322971	brushed titanium titanio cepillado		0.70

BASIC. Flexi shower hose, pvc coated  
Flexible de ducha, recubierto pvc




# ACCESSORIES – ACCESORIOS



**100160166** chrome  
cromo




BASIC. Un-slotted clicker drain, with tile piece  
*Vaciador clicker sin rebosadero, con tail piece*



**100040079** chrome  
cromo




BASIC. Tail piece, only required for pop up wastes that do not have this component  
*Adaptador desagüe, solo se necesita para vaciadores que no tengan este componente*



**100043169** chrome  
cromo



BASIC. Metal spacer 1 3/16"  
*Suplemento vaciador 1 3/16"*



**100043170** chrome  
cromo



BASIC. Metal spacer 1 3/16"  
*Suplemento vaciador 1 3/16"*



**100081558** chrome  
cromo




BASIC. Brass gas 1/2" female\_npt 1/2" male adaptor  
*Adaptador gas 1/2" hembra\_npt 1/2" macho*



**100063201**



BASIC. Brass gas 1/2" male\_npt 1/2" female adaptor  
*Adaptador gas 1/2" macho\_npt 1/2" hembra*



**100158905** chrome  
cromo




BASIC. Set of angle valves, 3/8" connection  
*Juego de llaves de paso, conexión 3/8"*



**100040145** chrome  
cromo



BASIC. Brass gas 3/8" male\_uneq 9/16" female adaptor  
*Adaptador gas 3/8" macho\_uneq 9/16" hembra*



**SHOWER COLUMNS** COLUMNAS DE DUCHA



TOUCH&FEEL ROUND 54



TOUCH&FEEL SQUARE 55




TINA 56



SMART 57

# TOUCH&FEEL ROUND




44 3/8 x 15 15/16 x 20 15/16

L 31 1/2"  
W 15 3/4"  
H 4 23/32"

1.36 ft<sup>3</sup>

MASS eco eco  
FLOW STOP



100291205

chrome  
cromo



100291204


60 matt black  
negro mate



TOUCH&FEEL. Thermostatic shower column with built-in wax thermoelement, glass shelf, shower head, slider hand shower bracket and multifunction hand shower, connections of 1/2" and a distance of 5 7/8" between them, it includes a non-return valve and safety stop at 38°, the flow rate at 80PSI of the hand shower is 0,99 gpm and of the shower head 1,2 gpm

Columna de ducha con grifería termostática con termoelemento de cera incorporado, repisa de cristal, rociador, soporte teleducha deslizante y teleducha multifunción, con conexiones de 1/2" y a una distancia de 5 7/8", incluye válvula antirretorno y stop de seguridad a 38°, el caudal a 80PSI de la teleducha es de 0,99 gpm y del rociador 1,2 gpm

# TOUCH&FEEL SQUARE




44 11/16 x 15 15/16 x 21 23/32

L 31 1/2"  
W 15 3/4"  
H 4 23/32"

1.36 ft<sup>3</sup>



ECO ECO  
FLOW STOP



100291221

chrome  
cromo

20.83

100291203




matt black  
negro mate

20.83

TOUCH&FEEL. Thermostatic shower column with built-in wax thermoelement, glass shelf, shower head, slider hand shower bracket and multifunction hand shower, connections of 1/2" and a distance of 5 7/8" between them, it includes a non-return valve and safety stop at 38°, the flow rate at 80PSI of the hand shower is 0,95 gpm and of the shower head 1,3 gpm

Columna de ducha con grifería termostática con termoelemento de cera incorporado, repisa de cristal, rociador, soporte teleducha deslizante y teleducha multifunción, con conexiones de 1/2" y a una distancia de 5 7/8", incluye válvula antirretorno y stop de seguridad a 38°, el caudal a 80PSI de la teleducha es de 0,95 gpm y del rociador 1,3 gpm

# TINA



44 11/64 x 10 7/16 x 19 11/16



L 27 15/16"  
W 9 1/16"  
H 5 1/2"

0.81 ft<sup>3</sup>



eco FLOW STOP



**EX**

100223974



chrome  
cromo




16.09

TINA. Thermostatic shower column with built-in wax thermoelement, shower head, rail with slider hand shower bracket, hand shower and additional "joy" hand shower, connections of 1/2" and a distance of 5 7/8"± 9/16" between them, it includes a non-return valve, the flow rate at 80psi of the hand shower is 1,7 gpm and of the shower head 1,65 gpm

*Columna de ducha termostática con termoelemento de cera incorporado, contiene rociador, barra de ducha con soporte teleducha deslizable, teleducha y teleducha adicional "joy", conexiones de 1/2" a una distancia de 5 7/8"± 9/16" entre ellas, incluye válvula antirretorno y stop de seguridad a 38°, el caudal a 80psi de la teleducha es de 1,7 gpm y del rociador 1,65 gpm*

# SMART





 L 21 5/16"  
 W 11 1/32"  
 H 44 7/8"

6.09 ft<sup>3</sup>



Meets  
CALGreen  
standards



100354597

NEW



chrome  
cromo



9.29

100354598

NEW



matt black  
negro mate



9.29

SMART, 44 7/8 X 11 X 18 7/32, thermostatic shower column with built-in wax thermoelement, shower head, rail with slider hand shower bracket and multifunction hand shower, connections of 1/2" and a distance of 5 7/8" ± 9/16", it includes a non-return valve and safety stop at 38°, the flow rate at 80psi of the hand shower is 1,6 gpm and of the shower head 1,7 gpm

Columna de ducha termostática con termoelemento de cera incorporado, rociador, barra de ducha con soporte teleducha deslizante y teleducha multifunción, 44 7/8 X 11 X 18 7/32, con conexiones de 1/2" y a una distancia de 5 7/8" ± 9/16", incluye válvula antirretorno y stop de seguridad a 38°, el caudal a 80psi de la teleducha es de 1,6 gpm y del rociador 1,7 gpm



Cradle to Cradle Certified® is a globally recognized standard of safe and circular products. Arctic Volume White, paper produced in Arctic Paper Grycksbo used within this publication is Cradle to Cradle® Silver Level Certified.

El certificado Cradle to Cradle™ es un estándar mundialmente reconocido de productos seguros y circulares. El papel Arctic Volume White utilizado en el interior de esta publicación está certificado Cradle to Cradle™ nivel plata.



NOKEN DESIGN, S.A.U.

Carretera CV-20 Km. 2 · 12540 Vila-real · Castellón · Spain  
Tel: +34 964 50 64 50 - Fax: +34 964 50 67 93  
e-mail: [noken@noken.com](mailto:noken@noken.com)

NOKEN DESIGN, S.A.U.

The content of this catalogue is protected by copyright and the Intellectual Property Law, Royal Legislative Decree 1/1996. Any reproduction thereof, in whole or in part, without the express authorisation of the Noken may be punishable under current legislation, including the Penal Code.

Noken reserves the right to modify or withdraw products from the catalogue without prior notice, as well as to modify their prices and/or characteristics without prior notice.

The room schemes shown in this catalogue are decorative suggestions for advertising purposes only and should not be used as a guide for the installation of the products. For the installation of the products and to consult their technical characteristics, please refer to the technical data sheets found in the PTC published by Noken. Noken is not responsible for assembly and/or installation errors or defects; it is recommended that the installation is carried out by a professional.

Possible changes in shade or colour must be considered an intrinsic part of the production process of certain products, such as ceramic bathroom fixtures, whether in glossy white or matt colours (white, black, grey...). It is important to be aware that variations in shade, saturation and gloss may occur, depending on the material on which the colouring pigment is applied (ceramic, urea formaldehyde) and the production batch, including possible variations between parts of the same item, such as the ceramic fixture, the seat, the lid or both.

Tones of PVD coated taps may also vary depending on production lots.

In addition to the variables of the production process, the perception of the colour shade is also influenced by the conditions of the light source, viewing angle and the psychophysical characteristics of the observer or the medium used for viewing.

El contenido de este catálogo está protegido por derechos de autor y la Ley de Propiedad Intelectual, Real Decreto Legislativo 1/1996. Cualquier reproducción del mismo, en parte o en su totalidad, sin autorización expresa de Noken puede ser sancionada conforme a la normativa vigente, incluso mediante el Código Penal.

Noken se reserva el derecho a modificar o retirar los productos del catálogo sin previo aviso, así como a modificar sus precios y/o características sin previo aviso.

Los ambientes que se muestran en este catálogo son sugerencias decorativas de carácter publicitario, no debiéndose utilizar como guía para la instalación de los productos. Para la instalación de los productos y consulta de sus características técnicas deben consultar las fichas técnicas que se encuentran en el PTC editado por Noken. Noken no se hace responsable por fallos o defectos de montaje y/o instalación, se recomienda que la instalación la realice un profesional.

Los posibles cambios de tono o color deben considerarse parte intrínseca del proceso de producción de determinados productos, como por ejemplo la cerámica sanitaria, ya bien sea en color blanco brillo como en colores mate (blanco, negro, gris...). Es importante conocer que pueden darse variaciones de tonalidad, saturación y brillo, según el material sobre el que se aplique el pigmento para la coloración (cerámica, urea formaldehído) y su lote de producción, lo que incluye posibles variaciones entre piezas de un mismo elemento, como pueda ser la cerámica sanitaria, el asiento, la tapa o ambos.

En productos de grifería tratados con acabados en PVD, también pueden haber diferencias de tonalidad según lotes de producción.

Además de las variables del proceso productivo, también influyen en la percepción de la tonalidad del color, las condiciones de la fuente de iluminación, ángulo de visión y las características psicofísicas del propio observador o medio utilizado para la visualización.





[www.noken.com](http://www.noken.com)