
















**MADE IN SPAIN**  
Desing by PRILUX





## Specifications


	<b>Voltage (V)</b>	220-240
Hz	<b>Frecuency (Hz)</b>	50-60
	<b>Current (A)</b>	750mA
	<b>IP Tightness index</b>	20
	<b>Body color</b>	White
	<b>Diffuser Material</b>	VT
	<b>Body</b>	AL
	<b>Reflector</b>	AL AN
K	<b>Colour temperature</b>	4.000K
	<b>CRI Colour rendering index</b>	>80
	<b>Measures</b>	0
	<b>Mounting position</b>	Superficie/Suspendido
	<b>Inclination</b>	+135°/-135°/+90°/-90°
	<b>Flux (lm)</b>	3.761
	<b>Electrical isolation</b>	CI

## References




	W	W		$\phi_{LED}$	$\phi_{LUM}$	$\Delta$	K
<b>205429</b>	28W	32W	750mA	3.515	3.761	30°	4.000K

## Dimensions



## Photometry



## Solutions

S



### Cora Sport

#### description



CORA SPORTS is the family of devices by Prilux to control DALI light fixtures in new or existing installations, indoors or outdoors, using Bluetooth 5.0 wireless technology. Technology that is more efficient and easier to deploy and scale for professional lighting applications. It can work in a meshed arrangement with the light fixtures and to create smart communication networks. Especially recommended in installations with towers and/or groups of light fixtures to make it possible to operate them as a group or individually.

#### Info



For more information on the different solutions compatible with this luminaire, consult the following BIDI codes or on the web [www.grupoprilux.com](http://www.grupoprilux.com)