











## Specifications (Series luminaires)




	<b>Electrical isolation</b>	CIII
	<b>Voltage (V)</b>	24V dcV
<b>Hz</b>	<b>Frecuency (Hz)</b>	50-60Hz
	<b>IP Tightness index</b>	IP20
<b>K</b>	<b>Colour temperature</b>	6.500K
	<b>CRI Colour rendering index</b>	>80
	<b>Opening angle</b>	120°
	<b>Measures</b>	5.000x10mm
	<b>Strip cutting unit</b>	50mm
	<b>Lifetime</b>	(L70B50>) 50.000h

## References



	W	K			
568586	14,4W	6.500K	>80	50mm	5.000x10mm

## Dimensions



## Photometry




## Accessories




**472395**

IMAGINE  
MONOCOLOR RF  
REGULATOR 5-24V  
1X5A




**242813**

POWER SUPPLY  
60W 24VDC LED  
STRIP



**242820**

POWER SUPPLY  
150W 24VDC LED  
STRIP



**242837**

POWER SUPPLY  
250W 24VDC LED  
STRIP



**473682**

POWER SUPPLY  
60W 24V IP67  
LPV-60-24



**473699**

POWER SUPPLY  
100W 24V IP67  
LPV-100-24



**473705**

POWER SUPPLY  
150W 24V IP67  
LPV-150-24




**473057**

CONNECTOR  
IMAGINE  
MONOCOLOR IP20  
CABLE-STRIP



**473071**

CONNECTOR  
IMAGINE  
MONOCOLOR IP20  
STRIP-STRIP



**209151**

STRIP CONNECTOR X  
IP20 2835 10MM 2P



**209144**

T-STRIP CONNECTOR  
IP20 2835 10MM 2P



**501453**

POWER SUPPLY  
XLG-200-24-A IP67



## Accessories



### 001662

POWER SUPPLY  
DALI LCA 35W 24V  
SC PRE



### 001663

POWER SUPPLY  
DALI LCA 60W 24V  
SC PRE



### 001253

POWER SUPPLY  
DALI LCA 100W 24V  
SC PRE



### 001437

POWER SUPPLY  
DALI LCA 150W 24V  
SC PRE



### 487863

POWER SUPPLY BT  
HLC 35 / 24V bDW SC  
PRE2



### 487870

POWER SUPPLY BT  
LC 60 / 24V bDW SC  
PRE2



### 487887

POWER SUPPLY BT  
LC 100 / 24V bDW SC  
PRE2



### 487894

POWER SUPPLY BT  
LC 150 / 24V bDW SC  
PRE2