



Specifications (Series luminaires)

	Electrical isolation	CI
	Voltage (V)	220-240V
Hz	Frecuency (Hz)	50-60Hz
	Power factor (Cos fi)	>0,9
	Dimming	No
	IP Tightness index	IP66
	Body color	Grey
	Diffuser Material	PC-O
K	Colour temperature	3000K-4000K-6500K
	CRI Colour rendering index	>80
	Opening angle	120°
	Measures	1.150x71x80mm
	Mounting position	Superficie/Suspendido
	Operating temperature	-10°C ~ +35°C
	Flux (lm)	max. 5080lm
	Lifetime	(L70B50>)50.000h

References




	W	ϕ	ϕ_{LED}	ϕ_{LUM}	K	
684286	36W	>0,9	5500lm	5000lm	3000K	No
			5605lm	5050lm	4000K	
			5625lm	5080lm	6500K	

Dimensions



Photometry





On request



Dali



Emergency kit

Accessories



684415

JUEGO 10 CLIPS
INOX IK10 AMBORA
1200MM



686136

KIT SUSPENSIÓN
PANTALLA AMBORA
(1 KIT X PANTALLA)



686143

PASACABLE IP65
BANDEJA TRASERA
PANTALLA AMBORA



686594

DIFUSOR PC
AMBORA SWITCH
1200MM