



Specifications (Series luminaires)		
	Electrical isolation	CI
	Voltage (V)	220-240V
	Frecuency (Hz)	50-60Hz
	Power factor (Cos fi)	>0,9
	Dimming	No
	IP Tightness index	IP66
	Body color	Grey
	Diffuser Material	PC-O
	Colour temperature	3000K-4000K-6500K
	CRI Colour rendering index	>80
	Opening angle	120°
	Measures	1.450x71x80mm
	Mounting position	Superficie/Suspendido
	Operating temperature	-10°C ~ +35°C
	Flux (lm)	max. 7080lm
	Lifetime	(L70B50>)50.000h


References							
	W	φ	ϕ_{LED}	ϕ_{LUM}	K		
684293	50W	>0,9	7800lm	7000lm	3000K	No	
			7855lm	7050lm	4000K		
			7885lm	7080lm	6500K		

Dimensions



Photometry





On request



Dali



Emergency kit

Accessories



684422

JUEGO 12 CLIPS INOX
IK10 AMBORA
1500MM



686136

KIT SUSPENSIÓN
PANTALLA AMBORA
(1 KIT X PANTALLA



686143

PASACABLE IP65
BANDEJA TRASERA
PANTALLA AMBORA



686600

DIFUSOR PC
AMBORA SWITCH
1500MM