





| Specifications (Series luminaires)                                                  |                            |                  |  |
|-------------------------------------------------------------------------------------|----------------------------|------------------|-------------------------------------------------------------------------------------|
|                                                                                     |                            |                  |                                                                                     |
|    | Electrical isolation       | CII              |                                                                                     |
|    | Voltage (V)                | V                |                                                                                     |
| Hz                                                                                  | Frecuency (Hz)             | 50/60Hz          |                                                                                     |
|                                                                                     |                            |                  |                                                                                     |
|    | IP Tightness index         | IP65             |                                                                                     |
|    | Body                       | PVC              |                                                                                     |
|                                                                                     |                            |                  |                                                                                     |
| K                                                                                   | Colour temperature         | 3000K            |                                                                                     |
|    | CRI Colour rendering index | >80              |                                                                                     |
|    | Opening angle              | 120°             |                                                                                     |
|                                                                                     |                            |                  |                                                                                     |
|   | Measures                   | 50x10x5mm        |                                                                                     |
|                                                                                     |                            |                  |                                                                                     |
|  | Operating temperature      | -5°C ~ +35°C     |                                                                                     |
|                                                                                     |                            |                  |                                                                                     |
|  | Lifetime                   | (L70B50>)50.000h |                                                                                     |

| References                                                                        |        |       |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|--------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | W      | K     |  |  |
| 702980                                                                            | 10W/MW | 3000K | >80                                                                                 | 50x10x5mm                                                                           |

| Dimensions | Photometry |
|------------|------------|
|------------|------------|





---

**701723**

---

CABLE  
ALIMENTACION  
BLANCO IMAGINE



---

**705004**

---

CLIP SUJECION  
IMAGINE JOB



---

**708791**

---

EMPALME ESTANCO  
IMAGINE JOB CON  
PEGAMENTO



---

**708807**

---

TAPA FINAL IMAGINE  
JOB