














## Specifications (Series luminaires)

	<b>Electrical isolation</b>	CII
	<b>Voltage (V)</b>	220-240V
<b>Hz</b>	<b>Frecuency (Hz)</b>	50-60Hz
	<b>Power factor (Cos fi)</b>	Hasta > 0,9
	<b>IP Tightness index</b>	IP20
	<b>Body color</b>	Black
<b>K</b>	<b>Colour temperature</b>	3.000K/4.000K
	<b>CRI Colour rendering index</b>	>90
	<b>Opening angle</b>	36°
	<b>Measures</b>	Ø60x168x197mm
	<b>Mounting position</b>	Montaje en Carril
	<b>Flux (lm)</b>	1.851lm
	<b>Lifetime</b>	(L70B50>) 30.000h




## References




	W	$\phi_{LUM}$	K		
<b>580144</b>	18W	1.851lm	3.000K	White	Ø60x168x197mm
<b>580151</b>	18W	1.986lm	4.000K	White	Ø60x168x197mm
<b>580168</b>	18W	1.851lm	3.000K	Black	Ø60x168x197mm
<b>580175</b>	18W	1.939lm	4.000K	Black	Ø60x168x197mm

## Dimensions



## Photometry



## Accessories



**210034**

ELECTRIFIED RAIL  
3M BLACK



**210041**

ELECTRIFIED RAIL  
2M BLACK



**381741**

ELECTRIFIED RAIL 1M  
BLACK



**210096**

POWER SUPPLY  
ELECTR. BLACK SIDE  
RAIL



**210058**

EXT CONNECTOR IN  
"L" BLACK  
ELECTRICAL RAIL



**210065**

EXT BLACK LINEAR  
CONNECTOR  
ELECTRICAL RAIL



**210089**

INT BLACK LINEAR  
CONNECTOR  
ELECTRICAL RAIL



**210072**

BLACK END COVER  
FOR RAIL



## Info



Three-phase electrified rail and accessories in white, black and grey. Adapter for three phase track 250V 6A.