

























## Specifications (Series luminaires)


	<b>Electrical isolation</b>	CII
	<b>Voltage (V)</b>	220-240V
<b>Hz</b>	<b>Frecuency (Hz)</b>	50-60Hz
	<b>Power factor (Cos fi)</b>	Hasta $\geq 0,5$
	<b>Dimming</b>	No
	<b>IP Tightness index</b>	IP20
	<b>Body color</b>	Grey
	<b>Diffuser Material</b>	PC-O
	<b>Body</b>	AL
<b>K</b>	<b>Colour temperature</b>	3.000K/4.000K
	<b>CRI Colour rendering index</b>	$\geq 80$
	<b>Opening angle</b>	25°
	<b>Measures</b>	Ø85x46mm
	<b>Mounting position</b>	Empotrado Techo
	<b>Inclination</b>	24°
	<b>Operating temperature</b>	-5 +35
	<b>Flux (lm)</b>	513lm
	<b>Lifetime</b>	(L70B50>) 25.000h

## References



	W	$\phi_{LUM}$	K					
<b>483445</b>	6W	513lm	3.000K	$\geq 80$	White	$\phi 70$	$\phi 85 \times 46 \text{mm}$	No
<b>483452</b>	6W	573lm	4.000K	$\geq 80$	White	$\phi 70$	$\phi 85 \times 46 \text{mm}$	No
<b>483520</b>	6W	513lm	3.000K	$\geq 80$	Gray	$\phi 70$	$\phi 85 \times 46 \text{mm}$	No
<b>483537</b>	6W	573lm	4.000K	$\geq 80$	Gray	$\phi 70$	$\phi 85 \times 46 \text{mm}$	No

## Dimensions



## Photometry

