




## PANTILO 20

### Indoor pendant E27 chrome

The PANTILO 20 pendant has a cylindrical design and a maximum pendant length of 250 centimetres. PANTILO 20 has a cylindrical shade made from chrome-plated glass which can be combined into a "lighting group" by means of individual configuration.



## TECHNICAL DATA

Item no.	1003004
Socket	E27
Number of sockets	1
IP Code	IP 20
Assembly details	Ceiling with Acc.
Primary nominal voltage	200-240V ~50/60Hz
Safety class	II
Wattage	15 W
Color	chrome
Light distribution	asymmetric
Light outlet	diffuse
Height	21.3 cm
Diameter	20 cm
Net weight	0.98 kg
Gross weight	1.725 kg
BIG WHITE Page	281

## Recommended lamp

1005305	A60 E27 Mirrorhead , chrome LED light, 7.5W 2700K CRI90 180°
1005265	ST64 E27 , gold LED ligh- t, 7.5W 2500K CRI90 320°
1005303	A60 E27 , transparent LED light, 7.5W 2700K CRI90 320°
1005286	QT14 G9 , White LED light, 3.6W 3000K CRI90 300°

## Accessories

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation ac- cessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1002163	FITU single canopy , soft gold
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installa- tion accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation ac- cessories
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-re- lief
143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece



143124

PENDANT ADAPTER ,  
for 1-phase high-voltage  
surface-mounted track,  
silver-grey, incl. strain re-  
lief and threaded piece



[www.intalite.co.uk](http://www.intalite.co.uk)



0208 542 1471



[sales@intalite.co.uk](mailto:sales@intalite.co.uk)