




PANTILO 28

Indoor pendant E27 chrome

The PANTILO 28 pendant has a cylindrical design and a maximum pendant length of 250 centimetres. With its cylindrical shade made from chrome-plated high-quality glass, the PANTILO 28 has a beautiful appearance - particularly if it is combined into a "lighting group" by means of individual configuration.



TECHNICAL DATA

Item no.	1003006
Socket	E27
Number of sockets	1
IP Code	IP 20
Assembly details	Ceiling with Acc.
Primary nominal voltage	200-240V ~50/60Hz
Safety class	II
Wattage	15 W
Color	chrome
Light distribution	symmetric
Light outlet	diffuse
Height	17.2 cm
Diameter	28 cm
Net weight	1.281 kg
Gross weight	2.38 kg
BIG WHITE Page	281

Recommended lamp

1005305	A60 E27 Mirrorhead , chrome LED light, 7.5W 2700K CRI90 180°
1005265	ST64 E27 , gold LED light, 7.5W 2500K CRI90 320°
1005303	A60 E27 , transparent LED light, 7.5W 2700K CRI90 320°
1005286	QT14 G9 , White LED light, 3.6W 3000K CRI90 300°

Accessories

145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation ac- cessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1002163	FITU single canopy , soft gold
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installa- tion accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation ac- cessories
132600	CEILING PLATE FITU , single ceiling plate, roun- d, black, incl. strain-relief
132601	CEILING PLATE FITU , single ceiling plate, roun- d, white, incl. strain-relief
132605	CEILING PLATE FITU , single ceiling plate, roun- d, chrome, incl. strain-re- lief
143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece



143124

PENDANT ADAPTER ,
for 1-phase high-voltage
surface-mounted track,
silver-grey, incl. strain re-
lief and threaded piece



www.intalite.co.uk



0208 542 1471



sales@intalite.co.uk