02 Recessed Spots Fixed LED>The 3W Dark Light Range Aluminium

10103E/B/BS/W



3W Recessed Dark Light LED spot IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004

Related items



89004T

Physical Specification

Item Group	02 Recessed Spots Fixed LED

Family	The 3W Dark Light Range Aluminium
Order Code	10103E/B/BS/W
Colour	Black-Brass
Material	Aluminium
Shape	Circular
Height	52mm
Diameter	50mm
Cutout Hole Diameter	44mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	8,7V
Safety Class	III
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K

Lumen Output	240lm@3W
Light Efficiency	80lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.094kg
Pcs/Carton	50
Barcode	5291889071129
HS Code	9405413990

Certification & Warranty

Warranty	5 years