02 Recessed Spots Fixed LED>The IP65 Mini Range

10103M/AL/W



3W COB LED recessed spot with prismatic diffuser IP65.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP65 90 CRI DIMMABLE QUICK FIX

Downloads

IES

Dimensions



Must be ordered separately



89004A



89004AT

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Mini Range
Order Code	10103M/AL/W
Colour	Aluminium
Material	Aluminium
Shape	Circular

Height	42mm
Diameter	46mm
Cutout Hole Diameter	38mm
Recessed Ceiling	Yes
Depth Required	55mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	3W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
Cable Length	60cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	270lm
Light Efficiency	90lm/W
CRI	90
Beam Angle	30°

Illumination Diagram	

Packing Info

Box Weight	0.112kg
Pcs/Carton	50
Barcode	5291889070573
HS Code	9405413990

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes