# 7820/D



LED light strip, with SMD2216 LEDs, 70LEDs/meter, 4,8W/meter.Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (7-LED segment).

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.




## Downloads





## Dimensions





## Gallery




## Accessories



7822



7824

## Related items



20030

## Physical Specification

| | |
|---|---|
| Item Group | 07 Strips & Profiles |
| Family | The 4,8W/m Indoor 24V |
| Order Code | 7820/D |
| Shape | Rectangular |
| Length | 5000mm |
| Width | 8mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Surface Floor/Ground | Yes |
| Indoor | Yes |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Voltage |
| Input Voltage | 24V DC |
| Safety Class | III |
| Power(Watts) | 4,8W/m |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 2216 |
| LED Brand | Refond |
| LED Number | 70LEDs/m |


## Illumination Data

| | |
|---|---|
| Colour Temperature | 6000K |
| Lumen Output | 490lm/m |
| Light Efficiency | 102,08lm/W |
| CRI | 90 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 24cm |
| Box Width | 21,5cm |
| Box Height | 2cm |
| Box Weight | 0.190kg |
| Pcs/Carton | 40 |
| Barcode | 5291889017660 |
| HS Code | 9405499090 |

## Energy Label




| | |
|---|---|
| Energy Class | E |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |