02 Recessed Spots Fixed LED>The 7W/8W Range

10107DC/B/W



7W COB LED Dark Light spot with a beam angle of 50°. Ideal for commercial and residential application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI DARK LIGHT CE


Downloads


IES

Dimensions



Gallery





Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 7W/8W Range
Order Code	10107DC/B/W
Colour	Black
Material	Die Cast
Shape	Circular
Height	83mm

Diameter	67mm
Cutout Hole Diameter	55mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Cable Length	15cm
F Mark	F

Fitting

Input Type	Constant Current
Safety Class	III
Power(Watts)	6,3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar
LED Number	1

F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2W-7,2W
Power Factor	0,9
Constant Current	Yes
300mA	0
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	50°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Brand	Eaglerise

Illumination Data

Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	50º
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	9cm
Box Width	7cm
Box Height	11cm
Box Weight	0.232kg
Pcs/Carton	50
Barcode	5291889052579
HS Code	9405413990

Certification & Warranty

Warranty	2 years