05 Downlights Fixed>The IP54 Downlights CCT V

# 10125B/W/V



25W LED CCT Variable recessed downlight, IP54. Suitable for bathroom installations.

Complete with non-dimmable driver.


Complies with standard EN60598-1 and any other specific standards.

IP54 CCT V 80 CRI CE

## Downloads

IES CE

## Dimensions




## Gallery





## Physical Specification

| | |
|---|---|
| Item Group | 05 Downlights Fixed |
| Family | The IP54 Downlights CCT V |
| Order Code | 10125B/W/V |
| Colour | White |
| Material | Die Cast |
| Diffuser Material | Plastic |
| Shape | Circular |

| | |
|---|---|
| Height | 46mm |
| Diameter | 228mm |
| Cutout Hole Diameter | 210mm |
| Recessed Ceiling | Yes |
| Depth Required | 80mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | External-Included |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⧈ |
| Power(Watts) | 25W |
| IP Rating | IP54 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 650mA |
| Safety Class | III |
| IP Rating | IP54 |
| Light Source | LED built in |
| LED Type | SMD 2835 |

| | |
|---|---|
| F Mark |  |

## Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Constant Current | Yes |
| Output | 650mA |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Brand | 0 |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K-4000K-5000K |
| Lumen Output | 2000lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Beam Angle | 90° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 1.230kg |
| Pcs/Carton | 10 |
| Barcode | 5291889082378 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 years |