
04 Recessed Spots Adjustable LED>The Trimless COB Spot

11107BT/W/W



6,5W COB LED recessed trimless adjustable spot, suitable for indoor/outdoor applications, IP54.

Requires 700mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Must be ordered separately



89008A



89008AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Trimless COB Spot
Order Code	11107BT/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	120mm
Width	120mm
Height	80mm
Cutout Hole Diameter	96mm
Recessed trimmless ceiling	Yes
Depth Required	105mm
Indoor	Yes
Outdoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	9,3V
Safety Class	III
Power(Watts)	6,5W
IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1

Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	76lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	13cm
Box Width	13cm
Box Height	8cm
Box Weight	0.533kg
Pcs/Carton	30
Barcode	5291889046998
HS Code	9405413990

Certification & Warranty

Warranty	5 years

Weee Directive	Yes