
04 Recessed Spots Adjustable LED>Swivel Range Aluminium

11108LA/W/W



8W COB LED recessed adjustable spot, for general lighting applications.

Complete with 200mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI ADJUSTABLE CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Swivel Range Aluminium
Order Code	11108LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	78mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes

Adjustable	2 Directions

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	200mA
Voltage	37V
Safety Class	
Power(Watts)	7,4W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
F Mark	

Gear

Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6,4-8W
Power Factor	0,5
Constant Current	Yes
200mA	32-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Philips

Illumination Data

Colour Temperature	3000K
Lumen Output	600lm
Light Efficiency	75lm/W
CRI	80
Beam Angle	25°
Illumination Diagram	

Packing Info

Box Length	10,5cm
Box Width	10,5cm
Box Height	11cm
Box Weight	0.433kg
Pcs/Carton	24
Barcode	5291889058885
HS Code	9405413990

Certification & Warranty

Warranty	3 years