04 Recessed Spots Adjustable LED>Extractable 12W Range

11113E/W/W



12W LED Recessed extractable adjustable spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE DIMMABLE QUICK FIX


Downloads


IES

Dimensions



Gallery





Must be ordered separately



89015

Related items



89015T

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Extractable 12W Range
Order Code	11113E/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	93mm
Diameter	90mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Citizen
LED Number	1
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	

Packing Info

Box Length	9,5cm
Box Width	9,5cm
Box Height	11cm
Box Weight	0,28Kg
Pcs/Carton	36
Barcode	5291889055587
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes