13 Wall & Ceiling LED>Mirror Square Boxes

# 12106B/W/W



6W COB LED surface Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI CE

## Downloads

IES

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 13 Wall & Ceiling LED |
| Family | Mirror Square Boxes |
| Order Code | 12106B/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 49mm |
| Width | 49mm |
| Height | 82mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⏚ |
| Power(Watts) | 6W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 120mA |
| Voltage | 40V |
| Safety Class | III |
| Power(Watts) | 4,8W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Cree |
| F Mark | F |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |

| | |
|---|---|
| Power(Watts) | 4,8-8W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| Output | 120mA |
| Voltage Range | 40-67V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Cable |
| Brand | Lifud |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 480lm |
| Light Efficiency | 80lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 0.308kg |
| Pcs/Carton | 60 |
| Barcode | 5291889064077 |
| HS Code | 9405409900 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 3 Years |
| Weee Directive | Yes |