13 Wall & Ceiling LED>The Backlight Cylinders

# 12112A/W/W



10W Downlight + 2W Uplight COB LED Cylinder. Gun Black Reflector.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DARK LIGHT 60°

## Downloads

IES

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 13 Wall & Ceiling LED |
| Family | The Backlight Cylinders |
| Order Code | 12112A/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Circular |
| Height | 102mm |
| Diameter | 85mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 10W+2W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 300mA |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Cree |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 8,4-12,6W |
| Constant Current | Yes |
| 300mA | 28-42V |
| IP Rating | IP20 |

| | |
|---|---|
| Safety Class | |
| Dimmable | No |
| Housing Material | Plastic |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 1000lm |
| Light Efficiency | 83.33lm/W |
| CRI | 90 |
| Beam Angle | 60° |
| Illumination Diagram |   |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Pcs/Carton | 40 |
| Barcode | 5291889079552 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 3 years |
| Weee Directive | Yes |