
16 Bathroom & Mirror>The Mirror LED Range

# 38116P/W



16W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP44 80 CRI CE

## Downloads

IES CE

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 16 Bathroom & Mirror |
| Family | The Mirror LED Range |
| Order Code | 38116P/W |
| Colour | Chrome |
| Material | Aluminium |
| Diffuser Material | PC |
| Shape | Rectangular |
| Length | 600mm |
| Width | 75mm |
| Height | 65mm |
| Surface Wall | Yes |
| Indoor | Yes |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 16W |
| IP Rating | IP44 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 120mA |
| Voltage | 120V |
| Power(Watts) | 14,4W |
| IP Rating | IP44 |
| Light Source | LED built in |
| LED Type | SMD 2835 |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 12-14,4W |
| Power Factor | 0,9 |
| Constant Current | Yes |

| | |
|---|---|
| Output | 120mA |
| Voltage Range | 100-120V |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |


## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 1280lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Pcs/Carton | 12 |
| Barcode | 5291889066309 |
| HS Code | 9405409900 |

## Energy Label



## Certification & Warranty

| | |
|---|---|
| Warranty | 2 Years |
| Weee Directive | Yes |