08 Track Lights>The COB Zoomable Range

# 65662AT/B/W



15W COB LED zoomable track spot 15°-45° with removable honeycomb.

Complete with 350mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE

## Downloads

IES

## Dimensions




## Gallery



## Related items


40001A/B


40002A/B


40003A/B


40003R/B

## Physical Specification

| | |
|---|---|
| Item Group | 08 Track Lights |
| Family | The COB Zoomable Range |

| | |
|---|---|
| Order Code | 65662AT/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 45mm |
| Diameter | 80mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⧈ |
| Power(Watts) | 15W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class | III |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |

| | |
|---|---|
| LED Brand | Bridgelux |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 7-14W |
| Power Factor | 0,92 |
| Constant Current | Yes |
| 350mA | 20-40V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Brand | KGP |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 1500lm |
| Light Efficiency | 100lm/W |
| CRI | 90 |
| Beam Angle | 15-45° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 0.406kg |
| Pcs/Carton | 30 |
| Barcode | 5291889076193 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |