13 Wall & Ceiling LED>Outdoor Wall Up & Down Lights

67362C/AN/W



9W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP54 80 CRI

Downloads

IES

Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights
Order Code	67362C/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	207mm
Width	110mm
Height	60mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	2x4,5W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	25V
Power(Watts)	8,5W
IP Rating	IP54
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Edison
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes

60 Hz	Yes
Power(Watts)	5,95-10,15W
Power Factor	0,9
Constant Current	Yes
350mA	17-29V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	HEP

Illumination Data

Colour Temperature	3000K
Lumen Output	2x315lm
Light Efficiency	70lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	14cm
Box Width	7cm
Box Height	22,5cm
Box Weight	1.000kg
Pcs/Carton	12
Barcode	5291889043782
HS Code	9405413990

Certification & Warranty

Warranty	2 years