19 Wall Recessed & Inground>Outdoor Dark Light Wall Recessed Die cast 68066/AN/W



8,5W LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Complete with 500mA driver.


Supplied with box for concrete installation

Complies with standard EN60598-1 and any other specific standards.

IP65 80 CRI DARK LIGHT CE

Downloads

Dimensions



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Outdoor Dark Light Wall Recessed Die cast
Order Code	68066/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	250mm
Width	87mm
Height	73mm
Cutout Hole Width	238mm
Cutout Hole Length	74mm
Recessed wall	Yes

Depth Required	80mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8,5W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	500mA
Voltage	16V
Safety Class	
Power(Watts)	8W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD
LED Brand	Philips
LED Number	40

F Mark	

Gear

Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3,25-9W
Power Factor	0,9
Constant Current	Yes
500mA	6,5-18V
IP Rating	IP20
Safety Class	
Brand	HEP
Protection	0

Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	18,82lm/W
CRI	80
Beam Angle	44°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	11cm
Box Width	10,5cm
Box Height	27,5cm
Box Weight	0.916kg

Pcs/Carton	12
Barcode	5291889048190
HS Code	9405413990

Certification & Warranty

Warranty	2 years