20 Garden & Underwater>The LED Underwater Range Stainless steel

69064A/W



3W underwater LED spot, IP68.

Underwater only / 2m max depth.

Requires 24V driver.


Complies with standard EN60598-1 and any other specific standards.

IP68 IK08 80 CRI ADJUSTABLE DIMMABLE CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	20 Garden & Underwater
Family	The LED Underwater Range Stainless steel
Order Code	69064A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Shape	Circular
Height	80mm
Diameter	102mm
Surface Wall	Yes
Surface Floor/Ground	Yes
Underwater	Yes
Adjustable	2 Directions

IK Rating	8

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	3W
IP Rating	IP68
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Bridgelux
LED Number	3
Cable Length	500cm

Illumination Data

Colour Temperature	3000K
Lumen Output	200lm
Light Efficiency	66,67lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	1.122kg
Pcs/Carton	18
Barcode	5291889074199
HS Code	9405413990

Certification & Warranty

Warranty	2 years