
08 Strips & Profiles>Modules for Signs & Backlit Applications

7840D/D



4x 0,5W/10W/m LED module, IP65 .

Supplied in 50pcs chain total length 10m.

Requires 12V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	08 Strips & Profiles
Family	Modules for Signs & Backlit Applications
Order Code	7840D/D
Material	Plastic
Shape	Rectangular
Length	45mm
Width	42mm
Height	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	12V DC
Safety Class	
Power(Watts)	4x0,5W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	4
F Mark	

Illumination Data

Colour Temperature	6000K
Lumen Output	180lm
Light Efficiency	90lm/W
Illumination Diagram	

Packing Info

Pcs/Carton	20
Barcode	5291889065630
HS Code	8539500000

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes