02 Recessed Spots Fixed LED>The IP65 Mini Range

# 10102H/B/W



2W COB LED recessed spot IP65.

Requires 700mA driver. Driver cannot pass through the cut-out hole.


Complies with standard EN60598-1 and any other specific standards.

IP65 90 CRI DIMMABLE DARK LIGHT QUICK FIX

## Downloads

IES


## Dimensions





## Gallery



## Must be ordered separately



89004A



89004AT

## Physical Specification

| | |
|---|---|
| Item Group | 02 Recessed Spots Fixed LED |
| Family | The IP65 Mini Range |
| Order Code | 10102H/B/W |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 40mm |
| Diameter | 37mm |
| Cutout Hole Diameter | 30mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 700mA |
| Safety Class | III |
| Power(Watts) | 2W |
| IP Rating | IP65 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Lumileds |
| LED Number | 1 |
| Cable Length | 100cm |
| F Mark | F |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 100lm |
| Light Efficiency | 50lm/W |
| CRI | 90 |
| Beam Angle | 30° |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Box Length | 6,5cm |
| Box Width | 6,5cm |
| Box Height | 4,5cm |
| Box Weight | 0.097kg |
| Pcs/Carton | 100 |
| Barcode | 5291889055235 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |