02 Recessed Spots Fixed LED>The IP65 Range

10106P/W/C



IP65 6W COB LED recessed spot suitable for installation in bathroom.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.

IP65 80 CRI TRIAC DIMMABLE CE

Downloads

IES CE

Dimensions



Gallery



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The IP65 Range
Order Code	10106P/W/C
Material	Plastic
Diffuser Material	PC
Shape	Circular
Height	47mm

Diameter	87mm
Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP65
Light Source	LED built in
F Mark	

Fitting

Input Type	Constant Current
Input Current	75mA
Voltage	72V
Power(Watts)	5,4W
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Smalite
LED Number	8

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6W
Power Factor	0,5
Voltage Range	72V
Dimmable	Yes
Dimmer type	Triac

Illumination Data

Colour Temperature	4000K
Lumen Output	570lm
Light Efficiency	95lm/W
CRI	80
Beam Angle	100°
Illumination Diagram	

Packing Info

Box Length	9cm
Box Width	9cm
Box Height	7,5cm
Box Weight	0.108kg
Pcs/Carton	48
Barcode	5291889046035
HS Code	9405114090

Certification & Warranty

Warranty	2 years