02 Recessed Spots Fixed LED>The Trimless 12W Range Aluminium

10112BTR/W/V



12W CCT Variable COB LED 2-Step Trimless Recessed spot, IP20.


Requires 700mA constant current driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads

Dimensions



Gallery



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Trimless 12W Range Aluminium
Order Code	10112BTR/W/V
Colour	White
Material	Aluminium
Shape	Circular
Height	85mm

Diameter	64mm
Cutout Hole Diameter	70mm
Recessed trimmless ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	1200lm
Light Efficiency	100lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.381kg
Pcs/Carton	48
Barcode	5291889084259
HS Code	9405413990

Certification & Warranty

Warranty	5 years