03 Recessed Spots Adjustable>The Dual Ring Range

11105AC/AL




Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.

IP20 ADJUSTABLE CE

Downloads

Dimensions



Gallery



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range
Order Code	11105AC/AL
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	20mm

Diameter	90mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	III
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm

Illumination Data

Illumination Diagram	

Packing Info

Box Length	10cm
Box Width	9,5cm
Box Height	5cm
Box Weight	0.168kg
Pcs/Carton	50
Barcode	5291889016106

HS Code	9405413990

Certification & Warranty

Warranty	5 years