# 04 Recessed Spots Adjustable LED>The IP44 COB Shop & Hotel Range 11112E/W/W



12W LED Dark Light Recessed adjustable spot, IP44.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP44 90 CRI ADJUSTABLE DIMMABLE DARK LIGHT QUICK FIX CE

## Downloads


IES

## Dimensions




## Gallery





## Must be ordered separately



89015A

## Related items



89015AT

## Physical Specification

| | |
|---|---|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The IP44 COB Shop & Hotel Range |
| Order Code | 11112E/W/W |
| Colour | White |
| Material | Die Cast |
| Shape | Circular |
| Height | 93mm |
| Diameter | 100mm |
| Cutout Hole Diameter | 87mm |
| Recessed Ceiling | Yes |
| Depth Required | 105mm |
| Indoor | Yes |
| Adjustable | 2 Directions |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 700mA |
| Safety Class | III |
| Power(Watts) | 12W |
| IP Rating | IP44 |
| Light Source | LED built in |
| LED Type | COB |

| | |
|---|---|
| LED Brand | Epistar |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark |  |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 1100lm |
| Light Efficiency | 91,67lm/W |
| CRI | 90 |
| Beam Angle | 40° |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Box Length | 10,5cm |
| Box Width | 10,5cm |
| Box Height | 10,5cm |
| Box Weight | 0.316kg |
| Pcs/Carton | 50 |
| Barcode | 5291889047322 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |