04 Recessed Spots Adjustable LED>The Trimless COB Spot Die cast 11112T/W/W



12W COB LED recessed trimless adjustable spot, suitable for indoor applications, IP20.

Requires 700mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI ADJUSTABLE DIMMABLE DARK LIGHT QUICK FIX CE


Downloads

IES CE

Dimensions



Gallery




Must be ordered separately



89015A

Related items



89015AT

Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Trimless COB Spot Die cast
Order Code	11112T/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	97mm
Diameter	75mm
Cutout Hole Diameter	75mm
Recessed trimmless ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	40
Barcode	5291889034933
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes