13 Wall & Ceiling LED>Mirror Square Boxes

12106B/B/W



6W COB LED surface Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI CE

Downloads

IES

Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	Mirror Square Boxes
Order Code	12106B/B/W
Colour	Black
Material	Aluminium
Shape	Rectangular
Length	49mm
Width	49mm
Height	82mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	120mA
Voltage	40V
Safety Class	III
Power(Watts)	4,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	4,8-8W
Power Factor	0,9
Constant Current	Yes
Output	120mA
Voltage Range	40-67V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud

Illumination Data

Colour Temperature	3000K
Lumen Output	480lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Weight	0.308kg
Pcs/Carton	60
Barcode	5291889064084
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes