12 Wall & Ceiling LED>COB Ceiling Cylinders

# 12108C/B/V



8W CCT Variable Black COB LED Cylinder.


Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI CE

## Downloads

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 12 Wall & Ceiling LED |
| Family | COB Ceiling Cylinders |
| Order Code | 12108C/B/V |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 70mm |
| Diameter | 70mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⏚ |
| Power(Watts) | 8W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Light Source | LED built in |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Output | 350mA |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K-3500K-4000K |
| Lumen Output | 650lm |
| Light Efficiency | 81,25lm/W |
| CRI | 90 |
| Beam Angle | 38° |

| | |
|---|---|
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 0.280kg |
| Pcs/Carton | 50 |
| Barcode | 5291889084297 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |