
12 Wall & Ceiling LED>The COB Adjustable Display Spots

12108LA/B/V



8W COB LED adjustable ceiling downlight, ideal for residential and commercial illumination.


Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V 90 CRI ADJUSTABLE CE

Downloads

Dimensions



Physical Specification

Item Group	12 Wall & Ceiling LED
Family	The COB Adjustable Display Spots
Order Code	12108LA/B/V
Colour	Black
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	78mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Light Source	LED built in
LED Type	COB

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Output	350mA
Dimmable	No

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	600lm

Light Efficiency	75lm/W
CRI	90
Beam Angle	25°
Illumination Diagram	

Packing Info

Box Weight	0.487kg
Pcs/Carton	24
Barcode	5291889087915
HS Code	9405413990

Certification & Warranty

Warranty	5 years