13 Wall & Ceiling LED>The Dark Light Ceiling Lights

# 12112H/W/W



12W Dark light surface ceiling spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DARK LIGHT CE

## Downloads

IES

## Dimensions




## Physical Specification

| | |
|---|---|
| Item Group | 13 Wall & Ceiling LED |
| Family | The Dark Light Ceiling Lights |
| Order Code | 12112H/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 138mm |
| Width | 36mm |
| Height | 83mm |
| Surface Ceiling | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | External-Included |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| Safety Class | ⏚ |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 700mA |
| Voltage | 16V |
| Safety Class | III |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD 3535 |
| LED Brand | Bridgelux |
| LED Number | 5 |
| F Mark | F |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 7,7-11,9W |
| Power Factor | 0,85 |

| | |
|---|---|
| Constant Current | Yes |
| 700mA | 11-17V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Ambient Temp | -20°C…+45°C |
| Operating Temp | 75°C |
| Brand | Eaglerise |
| Protection | Over Load Protection, Over Voltage Protection, Short circuit Protection |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 840lm |
| Light Efficiency | 70lm/W |
| CRI | 90 |
| Beam Angle | 38° |
| Illumination Diagram |  |
| Dark Light | Yes |

## Packing Info

| | |
|---|---|
| Box Weight | 0.452kg |
| Pcs/Carton | 40 |
| Barcode | 5291889074731 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |