21 Industrial & Floodlights>The IP65 LED Connectable Range Double

# 38236LC/D



36W IP65 slim LED connectable fitting .

Stainless steel clips included.

Polycarbonate body and diffuser.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP65 IK08 80 CRI CE

## Downloads

IES

## Dimensions




## Gallery



## Must be ordered separately



050084

## Physical Specification

| | |
|---|---|
| Item Group | 21 Industrial & Floodlights |
| Family | The IP65 LED Connectable Range Double |
| Order Code | 38236LC/D |
| Colour | White |
| Material | PC |
| Diffuser Material | PC |
| Shape | Rectangular |
| Length | 1275mm |
| Width | 40mm |
| Height | 79mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Indoor | Yes |
| Outdoor | Yes |
| Adjustable | No |
| IK Rating | 8 |

## Electrical Characteristics

| | |
|---|---|
| Gear | Built In |

Fitting + Driver

| | |
|---|---|
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ☐ |
| Power(Watts) | 36W |
| IP Rating | IP65 |
| Light Source | LED built in |
| Dimmable | No |

| | |
|---|---|
| Cable Length | 50cm |
| F Mark |  |

## Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Power(Watts) | 36W |
| IP Rating | IP65 |
| Light Source | LED built in |
| LED Type | SMD 2835 |
| LED Brand | Sanan |

## Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 36W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Eaglerise |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 6000K |
| Lumen Output | 3100lm |
| Light Efficiency | 86,1lm/W |
| CRI | 80 |

| | |
|---|---|
| Beam Angle | 120° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Pcs/Carton | 20 |
| Barcode | 5291889061663 |
| HS Code | 9405104090 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 2 Years |
| Weee Directive | Yes |