# 09 Tracks & Magnetic>Magnetic Adjustable Linear Lights Plug & Play / CCT V & DALI 42100PCL/B/V



32W DALI DT8 CCT Tunable LED Plug & Play 48V DC linear light.

Max 15m/driver. Max 250W/circuit.

Complies with standard EN60598-1 and any other specific standards.

IP20 CCT V DALI P&P 90 CRI ADJUSTABLE DALI DIMMABLE

CE

## Downloads

## Dimensions




## Must be ordered separately


42004PA/B


42004PB/B


42004PC/B


42004PD/B


42004PE/B


42004PF/B


42004PG/B



42004PH/B



42004PJ/B


42004PK/B


42004PL/B


42004PM/B


42004PN/B


42004PP/B


42004PR/B

## Physical Specification

| | |
|---|---|
| Item Group | 09 Tracks & Magnetic |
| Family | Magnetic Adjustable Linear Lights Plug & Play / CCT V & DALI |
| Order Code | 42100PCL/B/V |
| Colour | Black |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 980mm |
| Width | 27mm |
| Height | 38mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Indoor | Yes |
| Adjustable | 1 Direction |

## Electrical Characteristics

### Fitting

| | |
|---|---|
| Input Type | Constant Voltage |
| Input Voltage | 48V DC |
| Safety Class | III |
| Power(Watts) | 32W |
| IP Rating | IP20 |
| Light Source | LED built in |

## Illumination Data

| | |
|---|---|
| Colour Code | 3000K-4000K Tunable |
| Lumen Output | 2560lm |
| Light Efficiency | 80lm/W |
| CRI | 90 |

| | |
|---|---|
| Beam Angle | 110° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 1.570kg |
| Pcs/Carton | 10 |
| Barcode | 5291889084891 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 3 years |