09 Tracks & Magnetic>Magnetic Linear Spots

# 42112AAL/B/V



12W DALI DT8 CCT Tunable LED Linear light for magnetic profile.

Suitable for MINI and MIDI magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.


IP20 CCT V DALI MINI MIDI 90 CRI DALI DIMMABLE

CE

## Downloads

IES

## Dimensions




## Gallery



## Physical Specification

| | |
|---|---|
| Item Group | 09 Tracks & Magnetic |
| Family | Magnetic Linear Spots |
| Order Code | 42112AAL/B/V |
| Colour | Black |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 246mm |

| | |
|---|---|
| Width | 24mm |
| Height | 29mm |
| Surface Ceiling | Yes |
| Surface Wall | Yes |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Fitting | |
| Input Type | Constant Voltage |
| Input Voltage | 48V DC |
| Safety Class |  |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| F Mark |  |

## Illumination Data

| | |
|---|---|
| Colour Code | 3000K-4000K DT8 Tunable |
| Lumen Output | 960lm |
| Light Efficiency | 80lm/W |
| CRI | 90 |
| Beam Angle | 50° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Weight | 0.258kg |
| Pcs/Carton | 50 |

| | |
|---|---|
| Barcode | 5291889086918 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 3 years |