02 Recessed Spots Fixed LED>The 8W Asymmetric Range

50108A/W/W



8W COB LED Recessed Assymetric Spot.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI DARK LIGHT CE


Downloads

IES

Dimensions



Gallery



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The 8W Asymmetric Range
Order Code	50108A/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	82mm

Width	82mm
Height	74mm
Cutout Hole Width	73mm
Cutout Hole Length	73mm
Recessed Ceiling	Yes
Depth Required	85mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⧈
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	20V
Safety Class	III
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Cree
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	5-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	14-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Protection	Short Circuit and Overload

Illumination Data

Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	70lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight	0.254kg
Pcs/Carton	50
Barcode	5291889066088
HS Code	9405413990

Certification & Warranty

Warranty	3 years