# 04 Recessed Spots Adjustable LED>The Interchangeable Rings Range Aluminium

# 51112H/W/W



12W COB LED adjustable recessed spot with interchargeable rings.

Ring must be ordered separately.

Complete with 300mA driver.


Complies with standard EN60598-1 and any other specific standards.





## Downloads




## Dimensions




## Must be ordered separately


050088/BS


050088/G


050088/W


050088A/W

## Physical Specification

| | |
|---|---|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The Interchangeable Rings Range Aluminium |
| Order Code | 51112H/W/W |
| Colour | White |
| Material | Aluminium |
| Shape | Rectangular |

| | |
|---|---|
| Length | 108mm |
| Width | 108mm |
| Height | 95mm |
| Cutout Hole Width | 95mm |
| Cutout Hole Length | 95mm |
| Recessed Ceiling | Yes |
| Depth Required | 120mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

## Electrical Characteristics

| | |
|---|---|
| Gear | External-Included |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | ⧈ |
| Power(Watts) | 12W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Input Current | 300mA |
| Voltage | 36V |
| Safety Class | III |
| Power(Watts) | 10,8V |
| IP Rating | IP20 |

| | |
|---|---|
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Cree |
| LED Number | 1 |
| F Mark |  |

## Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 9-12W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 300mA | 30-42V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Brand | Eaglerise |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 3000K |
| Lumen Output | 940lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Beam Angle | 60° |
| Illumination Diagram |  |

## Packing Info

| | |
|---|---|
| Box Length | 12cm |

| | |
|---|---|
| Box Width | 12cm |
| Box Height | 12cm |
| Box Weight | 0.480kg |
| Pcs/Carton | 30 |
| Barcode | 5291889051343 |
| HS Code | 9405413990 |

## Certification & Warranty

| | |
|---|---|
| Warranty | 5 years |