18 Decorative>LED Pendant Rings

62144NB/B/W



50W LED Pendant, IP20 suitable for residential and commercial application.

Complete with 1200mA driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI CE

Downloads

IES

Dimensions



Physical Specification

Item Group	18 Decorative
Family	LED Pendant Rings
Order Code	62144NB/B/W
Colour	Black
Material	Metal
Shape	Circular
Height	1200mm
Diameter	610mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	1200mA
Voltage	40V
Power(Watts)	48W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Bridgelux
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36-50,4W

Power Factor	0,9
Constant Current	Yes
1200mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	3000lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	68cm
Box Width	68cm
Box Height	12cm
Box Weight	3,5Kg
Pcs/Carton	1
Carton Length	68cm
Carton Width	68cm
Carton Height	12cm
Carton Weight	3,5Kg
Barcode	5291889056843
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
Weee Directive	Yes