13 Plafo>The LED Slim Line Plafo

62146A/B/W



50W LED slim plafo light, IP20, suitable for residential and commercial application.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI CE

Downloads

IES CE

Dimensions



Gallery



Physical Specification

Item Group	13 Plafo
Family	The LED Slim Line Plafo
Order Code	62146A/B/W
Colour	Black
Material	Iron
Diffuser Material	Plastic
Shape	Rectangular

Length	500mm
Width	500mm
Height	75mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Power(Watts)	50W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	55-60W
Power Factor	0,9
Constant Current	Yes
Output	480mA
Voltage Range	100-110V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	3000K
Lumen Output	4100lm
Light Efficiency	82lm/W
CRI	80
Beam Angle	120°
Illumination Diagram	

Packing Info

Box Weight	3.400kg
Pcs/Carton	1
Barcode	5291889064657
HS Code	9405413990

Certification & Warranty

Warranty	3 years