16 Decorative>LED Pendant Rings

63144B/BS/W



60W LED Pendant, IP20 suitable for residential and commercial application.

Complete with 1050mA driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI CE

Downloads

IES CE

Dimensions



Physical Specification

Item Group	16 Decorative
Family	LED Pendant Rings
Order Code	63144B/BS/W
Colour	Brass
Material	Aluminium + Steel
Diffuser Material	Acrylic
Shape	Circular
Height	1500mm
Diameter	800mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	60W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	1050mA
Voltage	56V
Power(Watts)	58,8W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
F Mark	F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	36,75-60,9W

Power Factor	0,9
Constant Current	Yes
1050mA	35-58V
IP Rating	IP20
Safety Class	
Dimmable	No

Illumination Data

Colour Temperature	3000K
Lumen Output	6800lm
Light Efficiency	113,33lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Weight	4.900kg
Pcs/Carton	1
Barcode	5291889075943
HS Code	9405413990

Certification & Warranty

Warranty	2 years